

[5] Diseases Caused By Viral Pathogens

| | |
|-------|---|
| 図書名 | Fish Diseases |
| 開始ページ | 278 |
| 終了ページ | 322 |
| 出版年月日 | 2016 |
| URL | http://id.nii.ac.jp/1342/00001258/ |

Oral administration of recombinant proteins, rVP28 or rVP26, were effective for prophylaxis of this disease. Although the duration of the vaccine is relatively short (within 55-75 days in this experiments), the booster administration of the homologous vaccine could extend its duration (Satoh et al, 2009, 2008; Ning et al, 2011).

An application of RNA interference technology against WSSV are promising and effective antiviral strategy. Sequence-specific viral inhibition in shrimp by long synthetic dsRNAs or siRNAs was highly efficient in inhibiting WSSV gene expression (Sarathi et al, 2008; Shekhar and Lu, 2009; Xu et al, 2007; Kim et al, 2007; Sudhakaran et al, 2010) and YHV gene expression (Tirasophon et al, 2007).

Since 2009, a newly emerging disease has been occurring in China, Vietnam (estimated loss: 75 million US dollar) and Thailand. This disease is characterized by massive degeneration of the hepatopancreas but the causative agent has not been identified yet. D.V. Lightner (University of Arizona) has named this condition acute hepatopancreatic necrosis syndrome (AHPNS). Close attention should be paid on the spread and impact of this disease on shrimp culture production (Flegel, 2012).

Glossary

| | |
|-------------------------|--|
| WSSV | : White spot syndrome virus |
| YHV | : Yellow head virus |
| IHHNV | : Infectious hypodermal and hematopoietic necrosis virus |
| TSV | : Taura syndrome virus |
| WTD | : White tail disease |
| MrNV | : <i>Macrobrachium rosenbergii</i> nodavirus |
| XSV | : Extra small virus |
| IMNV | : Infectious myonecrosis virus |
| RT-PCR | : Reverse transcription polymerase chain reaction |
| LAMP | : Loop mediated isothermal amplification |
| RT-LAMP | : Reverse transcription loop mediated isothermal amplification |
| H&E staining | : Hemotoxylin and eosin staining |

Bibliography

Bibliography (Section 1. Freshwater Fish)

Wolf K. (1988). *Fish Viruses and Fish Viral Diseases*, 476 pp. Ithaca, NY, USA.

Sano M., Nakai N., Fijan N. (2011). Viral diseases and agents of warm-water fish. In *Fish Diseases and Disorders: Volume 3*. Woo, P.T.K. and Bruno, D.W. (eds), pp 166-244. Oxfordshire, UK.

Aquatic Animal Health Code 2012,
<http://www.oie.int/international-standard-setting/aquatic-code/access-online/>

- Fijan N., Petrinc Z., Sulimanović D., Zwillenberg L.O. (1971). Isolation of the viral causative agent from the acute form of infectious dropsy of carp. *Veterinarski Arhiv* 41, 125-138.
- Ahne W., Bjorklund H.V., Essbauer S., Fijan N., Kurath G., Winton J.R. (2002). Spring viremia of carp (SVC). *Diseases of Aquatic Organisms*, 52, 261-272.
- Walker P.J., Winton J.R. (2010). Emerging viral diseases of fish and shrimp. *Veterinary Research* 41, 51.
- OIE (2013). Manual of Diagnostic Tests for Aquatic Animals 2013. <http://www.oie.int/international-standard-setting/aquatic-manual/access-online/>
- Stone D.M., Ahne W., Denham K.L., Dixon P.F., Liu C.T., Sheppard A.M., Taylor G.R. Way K. (2003). Nucleotide sequence analysis of the glycoprotein gene of putative spring viraemia of carp virus and pike fry rhabdovirus isolates reveals four genogroups. *Diseases of Aquatic Organisms* 53, 203-210.
- Wolf K., Darlington R.W. (1971). Channel catfish virus: a new herpesvirus of ictalurid fish. *Journal of Virology* 8, 525-533.
- Plumb J.A. (1989). Channel catfish herpesvirus. In *Viruses of Lower Vertebrates*. pp 198-216. Berlin, Germany.
- Davison A.J. (1992). Channel catfish virus: a new type of herpesvirus. *Virology* 186, 9-14.
- Camus A.C. (2004). Channel catfish virus disease. Southern Regional Aquaculture Center Publication No. 4702.
- Hanson L. Dishon A, Kotler M. (2011). Herpesviruses that infect fish. *Viruses* 3, 2160-2191.
- Waltzek T.B., Kelley G.O., Alfaro M.E., Kurobe T., Davison A.J. Hedrick R.P. (2009). Phylogenetic relationships in the family Alloherpesviridae. *Diseases of Aquatic Organisms* 84, 179-194.
- Hedrick R.P., Gilad O., Yun S., Spangenberg J.V., Marty G.D., Nordhausen R.W., Kebus M.J., Bercovier H., Eldar A. (2000). A herpesvirus associated with mass mortality of juvenile and adult koi, a strain of common carp. *Journal of Aquatic Animal Health* 12, 44-57.
- Haenen O.L.M., Way K., Bergmann S.M., Ariel E. (2004). The emergence of koi herpesvirus and its significance to European aquaculture. *Bulletin of the European Association of Fish Pathologists* 24, 293-307.
- Haenen O.L.M, Hedrick R.P. (2006). Koi herpesvirus workshop. *Bulletin of the European Association of Fish Pathologists* 26, 26-37.
- Michel B., Fournier G., Loeffrig F., Costes B., Vanderplasschen A. (2010). Cyprinid herpesvirus 3. *Emerging infectious diseases* 16, 1835-1843.
- Kurita J., Yuasa K., Ito T., Sano M., Hedrick R.P., Engelsma M.Y., Haenen O.L.M., Sunarto A., Kholidin E.B., Chou H-Y., Tung M.-C., de la Peña L., Lio-Po G., Tu C., Way K., Iida T. (2009). Molecular epidemiology of koi herpesvirus *Fish Pathology* 44, 59-66.
- Jung S.J., Miyazaki T. (1995). Herpesviral haematopoietic necrosis of goldfish, *Carassius auratus* (L.). *Journal of Fish Diseases* 18, 211-220.
- Waltzek T.B., Kurobe T., Goodwin A.E., Hedrick R.P. (2009). Development of a polymerase chain reaction assay to detect cyprinid herpesvirus 2 in goldfish. *Journal of Aquatic Animal Health* 21, 60-67.
- Goodwin A.E., Merry G.E., Sadler J.. (2006). Detection of the herpesviral hematopoietic necrosis disease agent (Cyprinid herpesvirus 2) in moribund and healthy goldfish: validation of a quantitative PCR diagnostic method. *Diseases of Aquatic Organisms* 69, 137-143.
- Li X., Fukuda H. (2003). In vitro culture of goldfish cell sensitive to goldfish herpesvirus. *Journal of Shanghai Fisheries University* 12, 12-18.
- Goodwin A.E., Sadler J., Merry G.E., Marecaux E.N.. (2009). Herpesviral haematopoietic necrosis virus (CyHV-2) infection: case studies from commercial goldfish farms. *Journal of Fish Diseases* 32, 271-278.
- Jeffery K.R., Bateman K., Bayley A., Feist S.W., Hulland J., Longshaw C., Stone D., Woolford G., Way K. (2007). Isolation of a cyprinid herpesvirus 2 from goldfish, *Carassius auratus* (L.), in the UK. *Journal of Fish Diseases* 30, 649-656.

Wang L., He J., Liang L., Zheng X., Jia P., Shi X., Lan W., Xie J., Liu H., Xu P. (2012). Mass mortality caused by Cyprinid Herpesvirus 2 (CyHV-2) in Prussian carp (*Carassius gibelio*) in China. *Bulletin of the European Association of Fish Pathologists* 32, 164-173.

Langdon J.S., Humphrey J.D., Williams L.M., Hyatt A.D., Westbury, H.A. (1986). First virus isolation from Australian fish: iridovirus-like pathogen from redfin perch, *Perca fluviatilis*. *Journal of Fish Diseases* 9, 263-268.

Chinchar V.G. (2002). Ranaviruses (family Iridoviridae): emerging cold-blooded killers. *Archive Virology* 147, 447-470.

Chinchar V.G., Hyatt A., Miyazaki T., Williams, T. (2009). Family Iridoviridae: poor viral relations no longer. *Current Topics in Microbiology and Immunology* 328, 123-170.

Whittington R.J., Becker J.A., Dennis M.M. (2010). Iridovirus infections in finfish - critical review with emphasis on ranaviruses. *Journal of Fish Diseases* 33, 95-122.

Jancovich J.K., Bremont M., Touchman J.W., Jacobs B.L.. (2010). Evidence for multiple recent host species shifts among the Ranaviruses (family Iridoviridae). *Journal of Virology* 84, 2636-2647.

Bibliography (Section 2. Marine fish)

Liao, I.C. (2009) The role of aquaculture in upcoming food crisis. *Fish Pathol.*, 44, 1-8.

Iida Y., Masumura K., Nakai T., Sorimachi M., Matsuda H. (1989) A viral disease in larvae and juveniles of the Japanese flounder, *Paralichthys olivaceus*. *Journal of Aquatic Animal Health* 1, 7-12.

Iida Y., Hiroi J., Namba K., Nakai T. (2008) Dysfunction in respiration and osmotic regulation of larval Japanese flounder affected by viral epidermal hyperplasia. *Fish Pathology* 43, 72-78.

Whittington R.J., Jones J.B., Hine P.M., Hyatt A.D. (1997) Herpesvirus that caused epizootic mortality in 1995 and 1998 in pilchard, *Sardinops sagax neopilchardus* (Steindachner), in Australia is now endemic. *Diseases of Aquatic Organisms* 28, 1-16.

Hyatt A.D., Hine P.M., Jones J.B., Whittington R.J., Kearns C., Wise T.G., Crane M.S., Williams L.M. (1997) Epizootic mortality in the pilchard *Sardinops sagax neopilchardus* in Australia and New Zealand in 1995. II. Identification of a herpesvirus within the gill epithelium. *Diseases of Aquatic Organisms* 28, 17-29.

Smail D.A., Snow M. (2011) Viral haemorrhagic septicaemia. In *Fish Diseases and Disorders: Volume 3*. Woo P.T.K. and Bruno D.W. (eds), pp. 110-142, CABI, Oxfordshire, UK.

Sorimachi M., Hara T. (1985) Characteristics and pathogenicity of a virus isolated from yellowtail fingerlings showing ascites. *Fish Pathology* 19, 231-238.

Castric J., Baudin-Laurencin G., Coustans M.F., Auffret M. (1987) Isolation of infectious pancreatic necrosis virus, Ab serotype, from an epizootic in farmed turbot, *Scophthalmus maximus*. *Aquaculture* 67, 117-126.

Mortensen S.H., Hjeltne B., Rødseth O., Krogsrud J., Christie K.E. (1990) Infectious pancreatic necrosis virus, serotype N1, isolated from Norwegian halibut (*Hippoglossus hippoglossus*), turbot (*Scophthalmus maximus*) and scallops (*Pecten maximus*). *Bulletin of the European Association of Fish Pathologists* 10, 42-43.

Rodriguez Saint-Jean S., Vilas M.P., Guitierrez M.C., Perez-Prieto S.I. (1997) Isolation and preliminary characterisation of a birnavirus from the sole *Solea senegalensis* in southwest Spain. *Journal of Aquatic Animal Health* 9, 295-300.

Wolf K., Gravell M., Malsberger R.G. (1966) Lymphocystis virus: isolation and propagation in centrarchid fish cell lines. *Science* 151, 1004-1005.

Kimura T., Yoshimizu M., Gorie S. (1986) A new rhabdovirus isolated in Japan from cultured hirame (Japanese flounder) *Paralichthys olivaceus* and ayu *Plecoglossus altivelis*. *Diseases of Aquatic Organisms* 1, 209-217.

- Nishizawa T., Yoshimizu M., Winton J.R., Ahne W., Kimura T. (1991) Characterization of structural proteins of hirame rhabdovirus, HRV. *Diseases of Aquatic Organisms* 10, 167-172.
- Oseko N., Yoshimizu M., Kimura T. (1988) Effect of water temperature on artificial infection of *Rhabdovirus olivaceus* (hirame rhabdovirus: HRV) to hirame (Japanese flounder, *Paralichthys olivaceus*). *Fish Pathology* 23, 125-132.
- OIE (2011) *Aquatic Animal Health Code*, 14th ed. World Organisation for Animal Health, Paris, 286 pp.
- Schlottfeldt H.-J., Ahne W., Vestergaard-Jørgensen R.E., Glende W. (1991) *Bulletin of the European Association of Fish Pathologists* 11, 105-107.
- Ross K., McCarthy U., Huntly P.J., Wood B.P., Stuart D., Rough E.I., Smail D.A., Bruno D.W. (1994) An outbreak of viral hemorrhagic septicemia (VHS) in turbot (*Scophthalmus maximus*) in Scotland. *Bulletin of the European Association of Fish Pathologists* 14, 213-214.
- Isshiki T., Nishizawa T., Kobayashi T., Nagano T., Miyazaki T. (2001) An outbreak of VHSV (viral hemorrhagic septicemia virus) infection in farmed Japanese flounder *Paralichthys olivaceus* in Japan. *Diseases of Aquatic Organisms* 47, 87-99.
- Kim W.-S., Kim S.-R., Kim D., Kim J.-O., Park M.-A., Kitamira S., Kim H.-Y., Kim D.-H., Han H.-J., Jung S.-J., Oh M.-J. (2009) An outbreak of VHSV (viral hemorrhagic septicemia virus) infection in farmed olive flounder *Paralichthys olivaceus* in Korea. *Aquaculture*, 165-168.
- Inouye K., Yamano K., Maeno Y., Nakajima K., Matsuoka M., Wada Y., Sorimachi M. (1992) Iridovirus infection of cultured red sea bream, *Pagrus major*. *Fish Pathology* 27, 19-27.
- Matsuoka S., Inouye K., Nakajima K. (1996) Cultured fish species affected by red seabream iridoviral disease from 1991 to 1995. *Fish Pathology* 31, 233-234.
- Kawakami H., Nakajima K. (2002) Cultured fish species affected by red sea bream iridoviral disease from 1996 to 2000. *Fish Pathology* 37, 45-47.
- OIE (2012) Chapter 2.3.7. Red sea bream iridoviral disease In: *Manual of Diagnostic Tests for Aquatic Animals* 7th ed., World Organisation for Animal Health, Paris, pp. 345-356.
- He J.G., Wang S.P., Zeng K., Huang Z.J., Chan S.M. (2000) Systemic disease caused by an iridoviruslike agent in cultured mandarin fish, *Siniperca chuatsi* (Basilewsky), in China. *Journal of Fish Diseases* 23, 219-222.
- He J.G., Deng M., Weng S.P., Li Z., Zhou S.Y., Long Q.X., Wang X.Z., Chan S.M. (2001) Complete genome analysis of the mandarin fish infectious spleen and kidney necrosis iridovirus. *Virology* 291, 126-139.
- Shi C.Y., Wang Y.G., Yang S.L., Huang J., Wang Q.Y. (2004) The first report of an iridovirus-like agent infection in farmed turbot, *Scophthalmus maximus*, in China. *Aquaculture* 236, 11-25.
- Nakajima K., Kurita J., Ito T., Inouye K., Sorimachi M. (2001) Red sea bream iridoviral disease in Japan. *Bulletin of National Research Institute of Aquaculture* Suppl 5, 23-5.
- Sano M., Nakai T., Fijan N. (2011) Viral diseases and agents of warm water fish. In *Fish Diseases and Disorders: Volume 3*. pp. 166-244, Woo P.T.K., Bruno D.W. (eds), CABI, Oxfordshire, UK.
- Jancovich J.K., Chinchar V.G., Hyatt A., Miyazaki T., Williams T., Zhang Q.Y. (2011) Family Iridoviridae In *Virus Taxonomy Ninth Report of the International Committee on Taxonomy of Viruses*. pp. 193-210, King A.M.Q., Adams M.J., Carstens E.B., Lefkowitz E.J. (eds), Academic Press, San Diego.
- Kurita J., Nakajima K., Hirono I., Aoki T. (2002) Polymerase chain reaction (PCR) amplification of DNA of red sea bream iridovirus (RSIV). *Fisheries Sciences* 68, Suppl. II, 1113-1115.
- Do J.W., Moon C.H., Kim H.J., Ko M.S., Kim S.B., Son J.H., Kim J.S., An E.J., Kim M.K., Lee S.K., Han M.S., Cha S.J., Park M.S., Park M.A., Kim Y.C., Kim J.W., Park J.W. (2004) Complete genomic DNA sequence of rock bream iridovirus. *Virology* 325, 351-363.
- Lu L., Zhou S.Y., Chen C., Weng S.P., Chan S.M., He J.G. (2005) Complete genome sequence analysis of an iridovirus isolated from the orange-spotted grouper, *Epinephelus coioides*. *Virology* 339, 81-100.

- Ao J., Chen X. (2006) Identification and characterization of a novel gene encoding an RGD-containing protein in large yellow croaker iridovirus. *Virology* 355, 213-222.
- Nakajima K., Sorimachi M. (1994) Biological and physicochemical properties of iridovirus isolated from cultured red sea bream, *Pagrus major*. *Fish Pathology* 24, 29-33.
- Dong C., Weng S., Shi X., Xu X., Shi N., He J. (2008) Development of a mandarin fish *Siniperca chuatsi* fry cell line suitable for the study of infectious spleen and kidney necrosis virus (ISKNV). *Virus Research* 135, 273-281.
- Jun L.J., Jeong J.B., Kim J.H., Nam J.H., Shi K.W., Kim J.K., Kang J.-C., Jeong H.D. (2009) Influence of temperature shifts on the onset and development of red sea bream iridoviral disease in rock bream *Oplegnathus fasciatus*. *Diseases of Aquatic Organisms* 84, 201-208.
- Muroga K. (2001) Viral and bacterial diseases of marine fish and shellfish in Japanese hatcheries. *Aquaculture*, 202, 23-44.
- Nakajima K., Sorimachi M. (1995) Production of monoclonal antibodies against red sea bream iridovirus. *Fish Pathology* 30, 47-52.
- Nakajima K., Maeno Y., Fukudome M., Fukuda Y., Tanaka S., Matsuoka S., Sorimachi M. (1995) Immunofluorescence test for the rapid diagnosis of red sea bream iridovirus infection using monoclonal antibody. *Fish Pathology* 30, 115-119.
- Kurita J., Nakajima K., Hirono I., Aoki T. (1998) Polymerase chain reaction (PCR) amplification of DNA of red sea bream iridovirus (RSIV). *Fish Pathology* 33, 17-23.
- Chao C.-B., Yang S.-C., Tsai H.-Y., Chen C.-Y., Lin C.-S., Huang H.-T. (2002) A Nested PCR for the detection of grouper iridovirus in Taiwan (TGIV) in cultured hybrid grouper, giant seaperch, and largemouth bass. *Journal of Aquatic Animal Health* 14, 104-113.
- Jeong J.B., Jun L.J., Yoo M.H., Kim M.S., Komisar J.L., Jeong H.D. (2003) Characterization of the DNA nucleotide sequences in the genome of red sea bream iridoviruses isolated in Korea. *Aquaculture* 220, 119-133.
- Caipang C.M., Hirono I., Aoki T. (2003) Development of a real-time PCR assay for the detection and quantification of red seabream iridovirus (RSIV). *Fish Pathology* 38, 1-7.
- Caipang C.M., Haraguchi I., Ohira T., Hirono I., Aoki T. (2004) Rapid detection of a fish iridovirus using loop-mediated isothermal amplification (LAMP). *Journal of Virological Methods* 121, 155-161.
- Kim J.H., Gomez D.K., Choresca Jr. C.H., Park S.C. (2007) Detection of major bacterial and viral pathogens in trash fish used to feed cultured flounder in Korea. *Aquaculture*, 272, 105-110.
- He J.G., Zeng K., Weng S.P., Chan S.M. (2002) Experimental transmission, pathogenicity and physical-chemical properties of infectious spleen and kidney necrosis virus (ISKNV). *Aquaculture* 204, 11-24.
- Nakajima K., Maeno Y., Kurita J., Inui Y. (1997) Vaccination against red sea bream iridoviral disease in red sea bream. *Fish Pathology* 32, 205-209.
- Nakajima K., Maeno Y., Honda A., Yokoyama K., Tooriyama T., Manabe S. (1999) Effectiveness of a vaccine against red sea bream iridoviral disease in a field trial test. *Diseases of Aquatic Organisms* 36, 73-75.
- Yoshikoshi K., Inoue K. (1990) Viral nervous necrosis in hatchery-reared larvae and juveniles of Japanese parrotfish, *Oplegnathus fasciatus* (Temminck & Schlegel). *Journal of Fish Diseases* 13, 69-77.
- Glazebrook J.S., Heasman M.P., de Beer S.W. (1990) Picorna-like viral particles associated with mass mortalities in larval barramundi, *Lates calcarifer* Bloch. *Journal of Fish Diseases* 13, 245-249.
- Bloch B., Gravningen K., Larsen J.L. (1991) Encephalomyelitis among turbot associated with a piconavirus-like agent. *Diseases of Aquatic Organisms* 10, 65-70.
- Breuil G., Bonami J.R., Pepin J.F., Pichot Y. (1991) Viral- infection (picorna-like virus) associated with mass mortalities in hatchery-reared sea-bass (*Dicentrarchus labrax*) larvae and juveniles. *Aquaculture* 97, 109-116.

- Mori K., Nakai T., Nagahara, M. Muroga, K. Mukuchi T., Kanno T. (1991) A viral disease in hatchery-reared larvae and juveniles of redspotted grouper. *Fish Pathology* 26, 209–210.
- Mori K., Nakai T., Muroga K., Arimoto M., Mushiake K., Furusawa I. (1992) Properties of a new virus belonging to nodaviridae found in larval striped jack (*Pseudocaranx dentex*) with nervous necrosis. *Virology* 187, 368–371.
- Fukuda Y., Nguyen H.D., Furuhashi M., Nakai T. (1996) Mass mortality of cultured sevenband grouper, *Epinephelus septemfasciatus*, associated with viral nervous necrosis. *Fish Pathology* 31, 165–170.
- Le Breton A., Grisez L., Sweetman J., Olievier F. (1997) Viral nervous necrosis (VNN) associated with mass mortalities in cage-reared sea bass, *Dicentrarchus labrax* (L.). *Journal of Fish Diseases* 20, 145–151.
- Aspehaug V., Devold M., Nylund A. (1999) The phylogenetic relationship of nervous necrosis virus from halibut (*Hippoglossus hippoglossus*). *Bulletin of the European Association of Fish Pathologists* 19, 196–202.
- Patel S., Korsnes K., Bergh Ø., Vik-Mo F., Pedersen J., Nerland A.H. (2007) Nodavirus in farmed Atlantic cod *Gadus morhua* in Norway. *Diseases of Aquatic Organisms* 77, 169–173.
- Korsnes K., Devold M., Nerland A.H., Nylund A. (2005) Viral encephalopathy and retinopathy (VER) in Atlantic salmon *Salmo salar* after intraperitoneal challenge with a nodavirus from Atlantic halibut *Hippoglossus hippoglossus*. *Diseases of Aquatic Organisms* 68, 7–15.
- Munday B.L., Kwang J., Moody N. (2002) Betanodavirus infections of teleost fish: a review. *Journal of Fish Diseases* 25, 127–142.
- Comps M., Pepin J.F., Bonami J.R. (1994) Viral infection (picorna-like virus) associated with mass mortalities in hatchery-reared *Lares calcarifer* and *Dicentrarchus labrax*. *Aquaculture*, 123, 1–10.
- Chi S.C., Lo C.F., Lin S.C. (2001) Characterization of grouper nervous necrosis virus. *Journal of Fish Diseases* 24, 3–13.
- Thiéry R., Johnson K.L., Nakai T., Schneemann A., Bonami J.R., Lightner D.V. (2012) Family Nodaviridae. In King A.M.Q., Adams M.J., Carstens E.B. and Lefkowitz E.J. (eds) *Virus Taxonomy, Ninth Report of the International Committee on Taxonomy of Viruses*. pp. 1061–1067, Academic Press, San Diego, California.
- Nishizawa T., Mori K., Furuhashi M., Nakai T., Furusawa I., Muroga K. (1995) Comparison of the coat protein genes of five fish nodaviruses, the causative agents of viral nervous necrosis in marine fish. *Journal of General Virology* 76, 1563–1569.
- Nishizawa T., Furuhashi M., Nagai T., Nakai T., Muroga K. (1997) Genomic classification of fish nodaviruses by molecular phylogenetic analysis of the coat protein gene. *Applied and Environmental Microbiology* 63, 1633–1636.
- Iwamoto T., Mise K., Mori K., Arimoto M., Nakai T., Okuno T. (2001) Establishment of an infectious RNA transcription system for Striped jack nervous necrosis virus, the type species of the betanodaviruses. *Journal of General Virology* 82, 2653–2662.
- Tan C., Huang B., Chang S.F., Ngoh G.H., Munday B.L., Chen S.C., Kwang J. (2001) Determination of the complete nucleotide sequences of RNA1 and RNA2 from greasy grouper (*Epinephelus tauvina*) nervous necrosis virus, Singapore strain. *Journal of General Virology* 82, 647–653.
- Sommerset I., Nerland A.H. (2004) Complete sequence of RNA1 and subgenomic RNA3 of Atlantic halibut nodavirus (AHNV). *Diseases of Aquatic Organisms* 58, 117–125.
- Iwamoto T., Okinaka Y., Mise K., Mori K., Arimoto M., Okuno T., Nakai T. (2004) Identification of host-specificity determinants in betanodaviruses by using reassortants between striped jack nervous necrosis virus and sevenband grouper nervous necrosis virus. *Journal of Virology* 78, 1256–1262.
- Mori K., Mangyoku T., Iwamoto T., Arimoto M., Tanaka S., Nakai T. (2003) Serological relationships among genotypic variants of betanodavirus. *Diseases of Aquatic Organisms* 57, 19–26.
- Iwamoto T., Mori K., Arimoto M., Nakai T. (1999) High permissivity of the fish cell line SSN-1 for piscine nodaviruses. *Diseases of Aquatic Organisms* 39, 37–47.
- Frerichs G.N., Rodger H.D., Peric Z. (1996) Cell culture isolation of piscine neuropathy nodavirus from

juvenile sea bass, *Dicentrarchus labrax*. *Journal of General Virology* 77, 2067–2071.

Iwamoto T., Nakai T., Mori K., Arimoto M., Furusawa I. (2000) Cloning of the fish cell line SSN-1 for piscine nodaviruses. *Diseases of Aquatic Organisms* 43, 81–89.

Castric J., Thiéry R., Jeffroy J., de Kinkelin P., Raymond J.C. (2001) Sea bream *Sparus aurata*, an asymptomatic contagious fish host for nodavirus. *Diseases of Aquatic Organisms* 47, 33–38.

Barker D.E., MacKinnon A.M., Boston L., Burt M.D.B., Cone D.K., Speare D.J., Griffiths S., Cook M., Ritchie R., Olivier G. (2002) First report of piscine nodavirus infecting wild winter flounder *Pleuronectes americanus* in Passamaquoddy Bay, New Brunswick, Canada. *Diseases of Aquatic Organisms* 49, 99–105.

Gomez D.K., Sato J., Mushiake K., Isshiki T., Okinaka Y., Nakai T. (2004) PCR-based detection of betanodaviruses from cultured and wild marine fish with no clinical signs. *Journal of Fish Diseases* 27, 603–608.

Arimoto M., Sato J., Maruyama K., Mimura G., Furusawa I. (1996) Effect of chemical and physical treatments on the inactivation of striped jack necrosis virus (SJNNV). *Aquaculture* 143, 15–22.

Frerichs G.N., Tweedie A., Starkey W.G., Richards R.H. (2000) Temperature, pH and electrolyte sensitivity, and heat, UV and disinfectant inactivation of sea bass (*Dicentrarchus labrax*) neuropathy nodavirus. *Aquaculture* 185, 13–24.

Mushiake K., Nishizawa T., Nakai T., Furusawa I., Muroga K. (1994) Control of VNN in striped jack: selection of spawners based on the detection of SJNNV gene by polymerase chain reaction (PCR). *Fish Pathology* 29, 177–182.

Mori K., Mushiake K., Arimoto M. (1998) Control measures for viral nervous necrosis in striped jack. *Fish Pathology* 33, 443–444.

Grotmol S., Totland G.K. (2000) Surface disinfection of Atlantic halibut *Hippoglossus hippoglossus* eggs with ozonated sea-water inactivates nodavirus and increases survival of the larvae. *Diseases of Aquatic Organisms* 39, 89–96.

Húsgard S., Grotmol S., Hjeltnes B., Rødseth O.M., Biering E. (2001) Immune response to a recombinant capsid protein of striped jack nervous necrosis virus (SJNNV) in turbot *Scophthalmus maximus* and Atlantic halibut *Hippoglossus hippoglossus*, and evaluation of a vaccine against SJNNV. *Diseases of Aquatic Organisms* 45, 33–44.

Tanaka S., Mori K., Arimoto M., Iwamoto T., Nakai T. (2001) Protective immunity of sevenband grouper, *Epinephelus septemfasciatus* Thunberg, against experimental viral nervous necrosis. *Journal of Fish Diseases* 24, 15–22.

Thiéry R., Cozien J., Cabon J., Lamour F., Baud M., Schneemann, A. (2006) Induction of a protective immune response against viral nervous necrosis in the European sea bass *Dicentrarchus labrax* by using betanodavirus virus-like particles. *Journal of Virology* 80, 10201–10207.

Yamashita Y., Fujita Y., Kawakami H., Nakai T. (2005) The efficacy of inactivated virus vaccine against viral nervous necrosis (VNN). *Fish Pathology* 40, 15–21.

Yamashita H., Mori K., Kuroda A., Nakai, T. (2009) Neutralizing antibody levels for protection against betanodavirus infection in sevenband grouper, *Epinephelus septemfasciatus* (Thunberg), immunized with an inactivated virus vaccine. *Journal of Fish Diseases* 32, 767–775.

Kai Y.H., Chi S.C. (2008) Efficacies of inactivated vaccines against betanodavirus in grouper larvae (*Epinephelus coioides*) by bath immunization. *Vaccine* 26, 1450–1457.

Bibliography (Section 3. Salmon and Trout Viral Diseases)

World Organization for Animal Health, *Manual of diagnostic tests for aquatic animals*, 383 p, OIE, Paris.

AFS-FHS (American Fisheries Society-Fish Health Section) (2010). *FHS blue book: suggested procedures for the detection and identification of certain finfish and shellfish pathogens*, 2010 edition. AFS-FHS, Bethesda, Maryland.

Patrick W.T.K. and Bruno D.W. (2011). *Fish diseases and disorders*, volume 3: *Viral, Bacterial and Fungal Infections*, 2nd edition, 930 pp. CABI, Oxfordshire, UK.

King A.M.Q., Adams M.J., Carstens E.B. and Lefkowitz E.J. (ed) (2012). *Virus taxonomy: Ninth report of the international committee on taxonomy of viruses*, 1338 p. Elsevier, Diego, CA USA.

Oh M.J., Yoshimizu M., Kimura T. and Egusa Y. (1995). A new virus isolated from salmonid fish. *Fish Pathology*, 30, 23-32.

Bibliography (Section 4. Shrimp Diseases)

FAO (2012) <http://www.fao.org/fishery/statistics/software/fishstat/en>,

Lightner, D.V., Redman, R.M., Pantoja, C.R., Tang, K.F.J., Noble, B.L., Schofield, P., Mohny, L.L., Nunan, L.M., Navarro, S.A. (2012) Historic emergence, impact and current status of shrimp pathogens in the Americas. *Journal of Invertebrate Pathology*, 110(2), 174–183.

Lightner, D.V. (2011) Virus diseases of farmed shrimp in the Western Hemisphere (the Americas): A review. *Journal of Invertebrate Pathology*, 106(1), 110–130.

Flegel, T.W. (2012) Historic emergence, impact and current status of shrimp pathogens in Asia. *Journal of Invertebrate Pathology*, 110(2), 166-173.

OIE. (2012) <http://www.oie.int/en/international-standard-setting/aquatic-manual/access-online/>.

Mayo, M.A. (2002) A summary of taxonomic changes recently approved by ICTV. *Archives of Virology* 147(8), 1655-1656.

Mayo, M.A. (2005) Changes to virus taxonomy 2004. *Archives of Virology* 150(1), 189-198.

Flegel, T.W. (2006) Detection of major penaeid shrimp viruses in Asia, a historical perspective with emphasis on Thailand. *Aquaculture*, 256(1-4), 1-33.

Spann, K.M., Cowley, J.A., Walker, P.J., Lester, R.J.G. (1997) A yellow-head-like virus from *Penaeus monodon* cultured in Australia. *Diseases of Aquatic Organisms* 31(3), 169-179.

Walker, P. J., Bonami, J. R., *et al.*, (2005) Family Roniviridae. In "*Virus Taxonomy 8th Report*" Elsevier, USA, 975-979.

Wijegoonawardane, P.K.M., Cowley, J.A., Phan, T., Hodgson, R.A.J., Nielsen, L., Kiatpathomchai, W., Walker, P.J. (2008) Genetic diversity in the yellow head nidovirus complex. *Virology*, 380(2), 213–225.

Soowannayan, C., Flegel, T.W., Sithigorngul, P., Slater, J., Hyatt, A., Cramerri, S., Wise, T., Crane, M.St.J., Cowley, J.A., McCulloch, R.J., Walker, P.J., (2003) Detection and differentiation of yellow head complex viruses using monoclonal antibodies. *Diseases of Aquatic Organisms*, 57(3), 193-200.

Lightner, D.V., Redman, R.M., Bell, T.A. (1983) Infectious hypodermal and hematopoietic necrosis, a newly recognized virus disease of penaeid shrimp. *Journal of Invertebrate Pathology*, 42(1), 62-70.

Bonami, J. R. and Lightner, D. V. (1991) Unclassified viruses of Crustacea. In "*Atlas of Invertebrate Viruses*", CRC Press, Boca Raton, FL, 597-622.

Bonami, J.R., Trumper, B., Mari, J., Brehelin, M., Lightner, D.V. (1990) Purification and characterization of the infectious hypodermal and haematopoietic necrosis virus of penaeid shrimps. *Journal of General Virology*. 71(11), 2657-2664.

Rai, P., Safeena, M.P., Karunasagar, I., Karunasagar, I. (2011) Complete nucleic acid sequence of *Penaeus stylirostris* densovirus (PstDNV) from India. *Virus Research*, 158(1-2), 37-45.

Kalagayan, H., Godin, D., Kanna, R., Hagino, G., Sweeney, J., Wyban, J., Brock, J., (1991) IHHN virus as an etiological factor in Runt-deformity syndrome (RDS) of juvenile *Penaeus vannamei* cultured in Hawaii. *J. World Aquaculture Society*. 22(4), 235-243.

Chayaburakul, K. Lightner, D.V. Sriurairattana, S. Nelson, K.T. Withyachumnarnkul, B (2005) Different responses to infectious hypodermal and hematopoietic necrosis virus (IHHNV) in *Penaeus monodon* and *P. vannamei*. *Diseases of Aquatic Organisms*, 67(3), 191-200.

Primavera, J.H. and Qunitio, E.T. (2000) Runt-Deformity Syndrome in cultured giant tiger prawn *Penaeus monodon*. *Journal of Crustacean Biology*, 20(4), 796–802.

Wertheim, J.O., Tang, K.F.J., Navarro, S.A., Lightner, D.V. (2009) A quick fuse and the emergence of Taura syndrome virus. *Virology*, 390(2), 324–329.

Chen, Y.P., Nakashima, N., *et al.*, (2012) In: King, A.M.Q., Adams, M.J., Carstens, E.B., Lefkowitz, E.J. (Eds.), *Virus Taxonomy, 9th Report of the ICTV*, pp. 840–845 (1327p).

Qian, D., Shi, Z., Zhang, S., Cao, Z., Liu, W., Li, L., Xie, Y., Cambournac, I., Bonami J.R. (2003). Extra small virus-like particles (XSV) and nodavirus associated with whitish muscle disease in the giant freshwater prawn, *Macrobrachium rosenbergii*. *Journal of Fish Diseases*, 26(9), 521–527.

Bonami, J. R., Shi, Z., Qian, D. Widada, J. (2005) White tail disease of the giant freshwater prawn, *Macrobrachium rosenbergii*: Separation of the associated virions and characterization of MrNV as a new type of nodavirus. *Journal of Fish Diseases*, 28(1), 23-31.

Wang, C.S., Chang, J.S., Wen, C.M., Shih, H.H., Chen, S.N. (2008) *Macrobrachium rosenbergii* nodavirus infection in *M. rosenbergii* (de Man) with white tail disease cultured in Taiwan. *Journal of Fish Diseases*, 31(6), 415-422.

Sahul Hameed, A.S., Yoganandhan, K., Sri Widada, J.b., Bonami, J.R.(2004) Experimental transmission and tissue tropism of *Macrobrachium rosenbergii* nodavirus (MrNV) and its associated extra small virus (XSV) *Diseases of Aquatic Organisms*, 62(3), 191–196.

Sudhakaran R., Ishaq Ahmed V.P., Haribabu, P., Mukherjee, S.C., Sri Widada, J., Bonami, J.R., Sahul Hameed, A.S. (2006) Experimental vertical transmission of *Macrobrachium rosenbergii* nodavirus (MrNV) and extra small virus (XSV) from brooders to progeny in *Macrobrachium rosenbergii* and *Artemia*. *Journal of Fish Diseases*, 30(1), 27-35.

Poulos, B.T., Tang, K.F.J., Pantoja, C.R., Bonami, J.R., Lightner, D.V. (2006) Purification and characterization of infectious myonecrosis virus of penaeid shrimp. *Journal of General Virology*, 87(4), 987-996.

Tang, K.F.J., Pantoja, C.R., Poulos, B.T. Redman, R .M., Lightner D.V. (2005) *In situ* hybridization demonstrates that *Litopenaeus vannamei*, *L. stylirostris* and *Penaeus monodon* are susceptible to experimental infection with infectious myonecrosis virus (IMNV). *Diseases of Aquatic Organisms*, 63(2-3), 261-265.

Kiatpathomchai, W., Boonsaeng, V., Tassanakajon, A., Wongteerasupaya, C., Jitrapakdee, S., Panyim, S. (2001) A non-stop, single-tube, semi-nested PCR technique for grading the severity of white spot syndrome virus infections in *Penaeus monodon*. *Diseases of Aquatic Organisms*, 47(3), 235-239.

Tsai, J.-M., Wang, H.-C., Leu, J.-H., Wang, A.H.-J., Zhuang, Y., Walker, P. J., Kou, G.-H., Lo, C.-F. (2006) Identification of the nucleocapsid, tegument, and envelope proteins of the shrimp white spot syndrome virus virion. *Journal of Virology*, 80(6), 3021-3029.

Vaseeharan, B., Jayakumar, R., Ramasamy, P. (2003) PCR-based detection of white spot syndrome virus in cultured and captured crustaceans in India. *Letters in Applied Microbiology*, 37(6), 443-447.

Durand, S.V. and Lightner, D.V. (2002) Quantitative real time PCR for the measurement of white spot syndrome virus in shrimp. *Journal of Fish Diseases*, 25(7), 381-389.

Durand, S.V., Redman, R.M., Mohney, L.L., Tang-Nelson, K.F.J., Bonami, J.R., Lightner, D.V (2003) Qualitative and quantitative studies on the relative virus load of tails and heads of shrimp acutely infected with WSSV. *Aquaculture*, 216(1-4), 9-18.

Powell J.W.B., Burge, E.J., Browdy, C.L., Shepard, E.F. (2006) Efficiency and sensitivity determination of Shrimple, an immunochromatographic assay for white spot syndrome virus (WSSV), using quantitative real-time PCR. *Aquaculture*, 257 (1–4), 167–172.

Kono, T., Savan, R., Sakai, M., Itami, T. (2004) Detection of white spot syndrome virus in shrimp by loop-mediated isothermal amplification. *Journal of Virological Methods*, 115(1), 59–65.

Mekata, T., Sudhakaran, R., Kono, T., Supamattaya, K., Linh, N.T.H., Sakai, M., Itami, T. (2009) Real-time quantitative loop-mediated isothermal amplification as a simple method for detecting white spot syndrome virus. *Letters in Applied Microbiology*, 48(1), 25–32.

Wongteerasupaya, C., Thongchuea, W., Boonsaeng, V., Panyim, S., Tassanakajon, A., Withyachumnarnkul, B., Flegel, T. (1997) Detection of yellow head-virus (YHV) for *Penaeus monodon* by RT-PCR amplification. *Diseases of Aquatic Organisms*, 31(3), 181–186.

Cowley, J.A., Dimmock, C.M., Spann, K.M., Walker, P.J. (2000) Detection of Australian gill-associated virus (GAV) and lymphoid organ virus (LOV) of *Penaeus monodon* by RT-nested PCR. *Diseases of Aquatic Organisms*, 39(3), 159–167.

Cowley, J.A., Cadogan, L.C., Wongteerasupaya, C., Hodgson, R.A.J., Spann, K.M., Boonsaeng, V., Walker, P.J. (2004) Multiplex RT-nested PCR differentiation detection of gill-associated virus (Australia) and yellow head virus (Thailand) of *Penaeus monodon*. *Journal of Virological Methods*, 117(1), 49–59.

Wijegoonawardane, P.K.M., Cowley, J.A., Walker, P.J. (2010) A consensus real-time PCR for detection of all genotypic variants of yellow-head virus of penaeid shrimp. *Journal of Virological Methods*, 167(1), 5–9.

Mekata, T., Sudhakaran, R., Kono, T., U-taynapun, K., Supamattaya, K., Suzuki, Y., Sakai, M., Itami, T. (2009) Real-time reverse transcription loop-mediated isothermal amplification for rapid detection of yellow head virus in shrimp. *Journal of Virological Methods*, 162(1), 81–87.

Vega-Heredia, S., Mendoza-Cano, F., Sánchez-Paz, A. (2012) The infectious hypodermal and haematopoietic necrosis virus: a brief review of what we do and do not know. *Transboundary and Emerging Diseases*, 59 (2) 95–105.

Chayaburakul, K., Lightner, D.V., Sriurairattana, D., Tang, K.F.J., Nelson, K., Withyachumnarnkul, B. (2005) Different responses to infectious hypodermal and hematopoietic necrosis virus (IHHNV) in *Penaeus monodon* and *P. vannamei*. *Diseases of Aquatic Organisms*, 67(3), 191–200.

Lightner, D. V. (1996) Epizootiology, distribution and the impact on international trade of two penaeid shrimp viruses in the Americas. *Revue scientifique technique / Office international des epizooties*. 15(2), 579–601.

Tang, K. F. J. and Lightner, D. V. (2001) Detection and quantification of infectious hypodermal and hematopoietic necrosis virus in penaeid shrimp by real-time PCR. *Diseases of Aquatic Organisms*, 44(2), 79–85.

Yue, Z.Q., Liu, H., Wang, W., Lei, Z.W., Liang, C.Z., Jiang, Y.L., (2006) Development of real-time polymerase chain reaction assay with TaqMan probe for the quantitative detection of infectious hypodermal and hematopoietic necrosis virus from shrimp. *Journal of AOAC International*, 89(1), 240–244.

Dhar, A.K., Roux, M.M., Klimpel, K.R. (2001) Detection and quantification of infectious hypodermal and hematopoietic necrosis virus and white spot virus in shrimp using real-time quantitative PCR and SYBR green chemistry. *Journal of Clinical Microbiology*, 39(8), 2835–2845.

Sun, Z.F., Hu, C.Q., Ren, C.H., Shen, Q. (2006) Sensitive and rapid detection of infectious hypodermal and hematopoietic necrosis virus (IHHNV) in shrimps by loop-mediated isothermal amplification. *Journal of Virological Methods*, 131(1), 41–46.

He, L. and Xu, H.S. (2011). Development of a multiplex loop-mediated isothermal amplification (mLAMP) method for the simultaneous detection of white spot syndrome virus and infectious hypodermal and hematopoietic necrosis virus in penaeid shrimp. *Aquaculture*, 311(1), 94–99.

Arunrut, N., Prombun, P., Saksmerprome, V., Flegel, T.W., Kiatpathomchai, W. (2011) Rapid and sensitive detection of infectious hypodermal and hematopoietic necrosis virus by loop-mediated isothermal amplification combined with a lateral flow dipstick. *Journal of Virological Methods*, 171(1), 21–25.

Sudhakaran, R., Mekata, T., Kono, T., Supamattaya, K., Linh, N., Sakai, M., Itami, T. (2008) Rapid detection and quantification of infectious hypodermal and hematopoietic necrosis virus in white leg shrimp *Penaeus vannamei* using real-time loop-mediated isothermal amplification. *Fish Pathology*, 43(4), 170–173.

Teng, P.H., Chen, C.L., Sung, P.F., Lee, F.C., Ou, B.R., Lee, P.Y. (2007) Specific detection of reverse transcription-loop-mediated isothermal amplification amplicons for Taura syndrome virus by colorimetric dot-blot hybridization. *Journal of Virological Methods*, 146(1), 317–326.

Teng, P.H., Chen, C.L., Wu, C.N., Wu, S.Y., Ou, B.R., Lee, P.Y. (2006) Rapid and sensitive detection of Taura syndrome virus using nucleic acid-based amplification. *Disease of Aquatic Organisms*, 73(1), 13–22.

Kiatpathomchai, W., Jareonram, W., Jitrapakdee, S., Flegel, T.W. (2007) Rapid and sensitive detection of Taura syndrome virus by reverse transcription loop-mediated isothermal amplification. *Journal of*

Virological Methods, 146(1), 125–128

Kiatpathomchai, W., Jaroenram, W., Arunrut, N., Jitrapakdee, S., Flegel, T.W. (2008) Reverse transcription loop-mediated isothermal amplification combined with the lateral flow dipstick test for specific detection of the Taura syndrome virus. *Journal of Virological Methods*, 153(2), 214–217.

Arcier, J.M., Herman, F., Lightner, D.V., Redman, R., Mari, J., Bonami, J.R. (1999). A viral disease associated with mortalities in hatchery-reared postlarvae of the giant fresh water prawn *Macrobrachium rosenbergii*. *Diseases of Aquatic Organisms* 38(3), 177-181.

Hsieh, C.Y., Wu, Z.B., Tung, M.C., Tu, C., Lo, S.P., Chang, T.C., Chang, C.D., Chen, S.C., Hsieh, Y.C., Tsai, S.S. (2006) *In situ* hybridization and RT-PCR detection of *Macrobrachium rosenbergii* nodavirus in giant fresh water prawn, *Macrobrachium rosenbergii* (de Man), in Taiwan. *Journal of Fish Diseases* 29(11), 665-671.

Yoganandhan, K., Sri Widada, J., Bonami, J.R., Sahul Hameed, A.S. (2005) Simultaneous detection of *Macrobrachium rosenbergii* nodavirus and extra small virus by a single tube, one-step multiplex RT-PCR assay. *Journal of Fish Diseases*, 28(2), 65–69.

Tripathy, S., Sahoo, P.K., Kumari, J., Mishra, B.K., Sarangi, N., Ayyappan, S. (2006) Multiplex RT-PCR detection and sequence comparison of viruses MrNV and XSV associated with white tail disease in *Macrobrachium rosenbergii*. *Aquaculture*, 258(1-4), 134–139.

Phillai, D., Bonami, J.R., Sri Widada, J. (2006) Rapid detection of *Macrobrachium rosenbergii* nodavirus (MrNV) and extra small virus (XSV), the pathogenic agents of white tail disease of *Macrobrachium rosenbergii* (De Man), by loop-mediated isothermal amplification. *Journal of Fish Diseases*, 29(5), 275–283.

Puthawibool, T., Senapin, S., Flegel, T.W., Kiatpathomchai, W. (2010) Rapid and sensitive detection of *Macrobrachium rosenbergii* nodavirus in giant freshwater prawns by reverse transcription loop-mediated isothermal amplification combined with a lateral flow dipstick. *Molecular and Cellular Probes*, 24(5), 244–249

Haridas, D.V., Pillai, D., Manojkumar, B., Nair, C.M., Sherief, P.M. (2010) Optimization of reverse transcriptase loop-mediated isothermal amplification assay for rapid detection of *Macrobrachium rosenbergii* nodavirus and extra small virus in *Macrobrachium rosenbergii*. *Journal of Virological Methods*, 167(1), 61-67.

Zhang, H., Wang, J., Yuan, J., Li, L., Zhang, J., Bonami, J-R., Shi, Z. (2006) Quantitative relationship of two viruses (MrNV and XSV) in white-tail disease of *Macrobrachium rosenbergii*. *Diseases of Aquatic Organisms*, 71(1), 11-17.

Poulos, B.T. and Lightner, D.V. (2006) Detection of infectious myonecrosis virus (IMNV) of penaeid shrimp by reverse-transcriptase polymerase chain reaction (RT-PCR). *Diseases of Aquatic Organisms*, 73(1), 69-72.

Andrade, T.P.D., Srisuvan, T., Tang, K.F.J., Lightner, D.V.(2007)Real-time reverse transcription polymerase chain reaction assay using TaqMan probe for detection and quantification of infectious myonecrosis virus (IMNV). *Aquaculture*, 264(1-4), 9-15.

Andrade, T.P.D. and Lightner, D.V. (2009) Development of a method for the detection of infectious myonecrosis virus by reverse-transcription loop-mediated isothermal amplification and nucleic acid lateral flow hybrid assay. *Journal of Fish Diseases*, 32(11), 911-924.

Van Hulten, M.C.W., Westenberg, M., Goodall, S.D., Vlak, J.M. (2000) Identification of two major virion protein genes of white spot syndrome virus of shrimp. *Virology*, 266(2), 227-236.

Van Hulten, M.C.W., Tsai, M.F., Schipper, C.A., Lo, C.F., Kou, G.H., Vlak, J.M. (2000) Analysis of a genomic segment of white spot syndrome virus of shrimp containing ribonucleotide reductase genes and repeat regions. *Journal of General Virology*, 81(2), 307-316.

Rout, N., Kumar, S., Jaganmohan, S., Murugan, V. (2007) DNA vaccines encoding viral envelope proteins confer protective immunity against WSSV in black tiger shrimp. *Vaccine*, 25(15), 2778–2786.

Rajesh Kumar, S., Ishaq Ahamed, V.P., Sarathi, M., Nazeer Basha, A., Sahul Hameed, A.S. (2008)

Immunological responses of *Penaeus monodon* to DNA vaccine and its efficacy to protect shrimp against white spot syndrome virus (WSSV). *Fish and Shellfish Immunology*, 24(4), 467-478.

Kono, T., Sonoda, K., Kitao, Y., Mekata, T., Itami, T., Sakai, M. (2009) The expression analysis of innate immune-related genes in Kuruma shrimp *Penaeus japonicus* after DNA vaccination against penaeid rod-shaped DNA virus. *Fish Pathology*, 44 (2), 94–97

Rajesh Kumar, S., Venkatesan, C., Sarathi, M., Sarathbabu, V., Thomas, J., Anver Basha, K., Sahul Hameed, A.S. (2009) Oral delivery of DNA construct using chitosan nanoparticles to protect the shrimp from white spot syndrome virus (WSSV). *Fish and Shellfish Immunology*, 26(3), 429-437.

Satoh, J., Nishizawa, T., Yoshimizu, M. (2009) Duration and booster effect of phylactic response against white spot syndrome virus infection in kuruma shrimp orally administrated with recombinant viral proteins, rVP26 and rVP28. *Fish Pathology*, 44(3), 120–127.

Satoh, J., Nishizawa, T., Yoshimizu, M. (2008) Protection against white spot syndrome virus (WSSV) infection in kuruma shrimp orally vaccinated with WSSV rVP26 and rVP28. *Diseases of Aquatic Organisms*, 82(2), 89-96.

Ning, D., Leng, X., Li, Q., Xu, W. (2011) Surface-displayed VP28 on *Bacillus subtilis* spores induce protection against white spot syndrome virus in crayfish by oral administration. *Journal of Applied Microbiology*, 111 (6), 1327–1336.

Sarathi, M., Simon, M.C., Ishaq-Ahmed, V.P., Rajesh-Kumar, S., Sahul-Hameed, A.S. (2008) Silencing VP28 gene of white spot syndrome virus of shrimp by bacterially expressed dsRNA. *Marine Biotechnology*, 10 (2), 198–206.

Shekhar M.S. and Lu, Y. (2009). Application of nucleic-acid-based therapeutics for viral infections in shrimp aquaculture. *Marine Biotechnology*, 11(1), 1–9.

Xu, J.Y., Han, F., Zhang, X.B. (2007). Silencing shrimp white spot syndrome virus (WSSV) genes by siRNA. *Antiviral Research*, 73(2), 126–131.

Kim, C. S., Kosuke, Z., Nam, Y. K., Kim, S. K., Kim, K. H. (2007) Protection of shrimp (*Penaeus chinensis*) against white spot syndrome virus (WSSV) challenge by double-stranded RNA. *Fish and Shellfish Immunology*, 23 (1), 242–246.

Sudhakaran, R., Mekata, T., Kono, T., Inada, M., Okugawa, S., Yoshimine, M., Yoshida, T., Sakai, M., Itami, T. (2010) Double-stranded RNA-mediated silencing of the white spot syndrome virus VP28 gene in kuruma shrimp, *Marsupenaeus japonicus*. *Aquaculture Research*, 42(8), 1153-1162.

Tirasophon, W., Yodmuang, S., Chinnirunvong, W., Plongthongkum, N., Panyim, S. (2007) Therapeutic inhibition of yellow head virus multiplication in infected shrimps by YHV-protease dsRNA. *Antiviral Research*, 74 (2), 150–155.

Sudhakaran, R., Syed Musthaq, S., Haribabu, P., Mukherjee, S.C., Gopal, C., Sahul Hameed, A.S. (2006a) Experimental transmission of *Macrobrachium rosenbergii* nodavirus (MrNV) and extra small virus (XSV) in three species of marine shrimp (*Penaeus indicus*, *Penaeus japonicus* and *Penaeus monodon*). *Aquaculture*, 257, 136–141.

Sudhakaran, R., Yoganandhan, K., Ishaq Ahmed, V.P., Sahul Hameed A.S. (2006b) Artemia as a possible vector for *Macrobrachium rosenbergii* nodavirus (MrNV) and extra small virus transmission (XSV) to *Macrobrachium rosenbergii* post-larvae. *Diseases of Aquatic Organisms*, 70(1-2), 161–166.

Bonami, J.R. and Widada J.S. (2011) Viral diseases of the giant fresh water prawn *Macrobrachium rosenbergii*: a review. *Journal of Invertebrate Pathology*, 106 (1), 131–142.

Biographical Sketches

Motohiko Sano is currently a professor for Department of Marine Biosciences, Tokyo University of Marine Science and Technology. He obtained Ph.D. degrees from Tokyo University of Fisheries in 1990. Dr. Sano has worked with fish disease for many years.

Toshihiro Nakai is currently a professor in Graduate School of Biosphere Science, Hiroshima University.

He obtained M.Agr. from Hiroshima University in 1979 and Ph.D. from The University of Tokyo in 1986. Dr. Nakai has worked in the field of *fish pathology* for more than 30 years, particularly with bacterial and viral diseases of cultured fish.

Hisae Kasai is currently an associate professor for Faculty of *Fisheries Sciences*, Hokkaido University. She obtained Ph.D. degrees from Hokkaido University in 2005. Dr. Kasai has worked with fish disease, food safety for many years.

Mamoru Yoshimizu is a professor for Faculty of *Fisheries Sciences*, Hokkaido University. He obtained Ph.D. degrees from Hokkaido University. Dr. Yoshimizu has researched with fish disease and prevention of pathogens for many years.

Toshiaki Itami is currently a professor for Faculty of Agriculture, University of Miyazaki, Japan. He obtained Ph.D. degrees from Kyoto University. Dr. Itami has worked with shrimp disease and bio-defense system for many years..

Raja Sudhakaran is currently an assistant professor for Aquatic Animal Health Laboratory, School of Biosciences and Technology, VIT University in India. His major research is shrimp disease and bio-defense system.