

University of Marine Science and Technology

(東京海洋大学)

[4] Diseases Caused By Bacterial Pathogens in Saltwater

メタデータ	言語: eng 出版者: 公開日: 2016-05-13 キーワード (Ja): キーワード (En): 作成者: 高橋, 幸則, 吉田, 照豊, 西木, 一生, 酒井, 正博, Thompson,, Kim D., Adams, Alexandra, Jung, Tae-Sung, 青木, 宙, 若林, 久嗣, 引間, 順一, 高野, 倫一, 飯田, 貴次 メールアドレス: 所属:
URL	<a href="https://oacis.repo.nii.ac.jp/records/1269">https://oacis.repo.nii.ac.jp/records/1269</a>

## 8.6. Recent Topics

Analysis of the 16S rDNA sequence shows that the bacterium is a member of the family Flavobacteriaceae, but does not belong to any existing genus in the family. *Icthyobacterium seriolicida* gen. nov., sp. nov. has been proposed as the name of the bacterium (in preparation).

## Glossary

**rDNA** : Ribosomal DNA,

**ABPC** : Rmpicillin,

**EM** : Erythromycin,

**OA** : Oxolinic acid:

**OTC** : Oxytetracycline,

**SMM** : Sulfamonomethoxine,

**SPM** : Streptomycin

## Bibliography

### Bibliography (Section 1. Saltwater Streptococcosis) (Subsection 1.1. *Lactococcus Garvieae*)

Aoki, T., Takami, K. and Kitao, T. (1990) Drug resistance in a non-hemolytic *Streptococcus* sp. isolated from cultured yellowtail, *Seriola quinqueradiata*. *Diseases of Aquatic Organisms*, 8, 171-177.

Aoki, T., Park, C-I., Yamashita, H. and Hirono, I. (2000) Species-specific polymerase chain reaction primers for *Lactococcus garvieae*. *Journal of Fish Diseases*, 23, 1-6.

Dang, H. T., Park, H. K., Myung, S. C. and Kim, W. (2012) Species-specific polymerase chain reaction primers for *Lactococcus garvieae*. *Journal of Fish Diseases*, 35, 481-488.

Fortina, M. G., Ricci, G. and Borgo, F. (2009) A study of lactose metabolism in *Lactococcus garvieae* reveals a genetic marker for distinguishing between dairy and fish biotypes. *Journal of Food Protection*, 72, 1248-1254.

Kawanishi, M., Yoshida, T., Yagashiro, S., Kijima, M., Yagyu, K., Nakai, T., Murakami, M., Morita, H. and Suzuki, S. (2006) Characterization of *Lactococcus garvieae* isolated from radish and broccoli sprouts that exhibited a KG+ phenotype, lack of virulence and absence of a capsule. *Journal of Applied Microbiology*, 101, 496-504.

Kawanishi, M., Yoshida, T., Kijima, M., Yagyu, K., Nakai, T., Okada, S., Endo, A., Murakami, M., Suzuki, S. and Morita, H. (2007) Differences between *Lactococcus garvieae* isolated from the genus *Seriola* in Japan and those isolated from the other animals (trout, terrestrial animals from Europe) with regard to pathogenicity, phage susceptibility, and genetic characterization. *Letters in Applied Microbiology*, 44, 481-487.

Kitao, T. (1982) The methods for detection of *Streptococcus* sp. causative bacteria of streptococcal disease of cultured yellowtail (*Seriola quinqueradiata*). *Fish Pathology*, 17, 17-26.

Kusuda, R., Kawai, T., Toyoshima, T. and Komatsu, I. (1976) A new pathogenic bacterium belonging to the genus *Streptococcus*, isolated from an epizootic of cultured yellowtail. *Bulletin of the Japanese Society of Scientific Fisheries*, 42, 1345-1352.

Kusuda, R., Kawai, K., Salati, F., Banner, C. R. and Fryer, J. L. (1991) *Enterococcus seriolicida* sp. nov., a fish pathogen. *International Journal of Systematic Bacteriology*, 41, 406-409.

- Maki, T., Hirono, I., Kondo, H. and Aoki, T. (2008) Drug resistance mechanism of the fish-pathogenic bacterium *Lactococcus garvieae*. *Journal of Fish Diseases*, 31, 461-468.
- Morita, H., Toh, H., Oshima, K., Yoshizaki, M., Kawanishi, M., Nakaya, K., Suzuki, T., Miyauchi, E., Ishii, Y., Tanabe, S., Murakami, M. and Hattori, M. (2011) Complete genome sequence and comparative analysis of the fish pathogen *Lactococcus garvieae*. *Plos One*, 6, e23184.
- Nakai, T., Sugimoto, R., Park, K. H., Matsuoka, S., Mori, K., Nishioka, T. and Maruyama, K. (1999) Protective effects of bacteriophage on experimental *Lactococcus garvieae* infection in yellowtail. *Diseases of Aquatic Organisms*, 37, 33-41.
- Nishiki, I., Furukawa, M., Matsui, S., Itami, T., Nakai, T. and Yoshida, T. (2011) Epidemiological study on *Lactococcus garvieae* isolates from fish in Japan. *Fisheries Science*, 77, 367-373.
- Nomoto, R., Munasinghe, L. I., Jin, D. H., Shimahara, Y., Yasuda, H., Nakamura, A., Misawa, N., Itami, T. and Yoshida, T. (2004) Lancefield group C *Streptococcus dysgalactiae* infection responsible for fish mortalities in Japan. *Journal of Fish Diseases*, 27, 679-686.
- Ooyama, T., Kera, A., Okada, T., Inglis, V. and Yoshida, T. (1999) The protective immune response of yellowtail, *Seriola quinqueradiata* to the bacterial fish pathogen *Lactococcus garvieae*. *Diseases of Aquatic Organisms*, 37, 121-126.
- Ooyama, T., Hirokawa, Y., Minami, T., Yasuda, H., Nakai, T., Endo, M., Ruangpan, L. and Yoshida, T. (2002) Cell-surface properties of *Lactococcus garvieae* strains and their immunogenicity in the yellowtail *Seriola quinqueradiata*. *Diseases of Aquatic Organisms*, 51, 169-177.
- Ooyama, T., Shimahara, Y., Nomoto, R., Yasuda, H., Iwata, K., Nakamura, A., Itami, T. and Yoshida, T. (2006) Application of attenuated *Lactococcus garvieae* strain lacking a virulence-associated capsule on its cell surface as a live vaccine in yellowtail *Seriola quinqueradiata* Temminck and Schlegel. *Journal of Applied Ichthyology*, 22, 149-152.
- Ricci, G., Ferrario, C., Borgo, F., Rollando, A. and Fortina, M. G. (2012) Genome Sequence of *Lactococcus garvieae* TB25, isolated from Italian cheese, and *Lactococcus garvieae* LG9, isolated from Italian rainbow trout. *Journal of Bacteriology*, 194, 1249-1250.
- Teixeira, L. M., Merquior, V. L. C., Vianni, M. da C. E., Carvalho, M. da G. S., Fracalanza, S. E. L., Steigerwalt, A. G., Brenner, D. J. and Facklam, R. R. (1996) Phenotypic and genotypic characterization of atypical *Lactococcus garvieae* strains isolated from water buffalos with subclinical mastitis and confirmation of *L. garvieae* as the senior subjective synonym of *Enterococcus seriolicida*. *International Journal of Systematic Bacteriology*, 46, 664-668.
- Tsai, M-A., Wang, P-C., Yoshida, T., Liaw, L-L. and Chen, S-C. (2013) Development of a sensitive and specific LAMP PCR assay for detection of fish pathogenic *Lactococcus garvieae*. *Diseases of Aquatic Organisms*, 102, 225-235.
- Vela, A. I., Vazquez, J., Gibello, A., Blance, M. M., Moreno, M. A., Liebana P., Albendea, C., Alcala, B., Mendez, Z., Dominguez, L. and Fernandez-Garayzabal, J. F. (2000) Phenotypic and genetic characterization of *Lactococcus garvieae* isolated in Spain from lactococcosis outbreaks and comparison with isolates of other countries and sources. *Journal of Clinical Microbiology*, 38, 3791-3795.
- Vendrell, D., Balcazar, J. L., Ruiz-Zarzuela, I., de Blas, I., Girones, O. and Muzquiz, J. L. (2006) *Lactococcus garvieae* in fish: A review. *Comparative Immunology Microbiology & Infectious Diseases*, 29, 177-198.
- Vinh, D. C., Nichol, K. A., Rand, F. and Embil, J. M. (2006) Native-valve bacterial endocarditis caused by *Lactococcus garvieae*. *Diagnostic Microbiology and Infectious Diseases*, 56, 91-94.
- Watanabe, Y., Naito, T., Kikuchi, K., Amari, Y., Yehara, Y., Isonuma, H., Hisaoka, T., Yoshida, T., Yaginuma, K., Takaya, N., Daida, H. and Hiramatsu, K. (2011) Infective endocarditis with *Lactococcus garvieae* in Japan: a case report. *Journal of Medical Case Report*, 5, 536-539.
- Yoshida, T., Endo, M., Sakai, M. and Inglis, V. (1997) A cell capsule with possible involvement in resistance to opsonophagocytosis in *Enterococcus seriolicida* isolated from yellowtail *Seriola quinqueradiata*. *Diseases of Aquatic Organisms*, 29, 233-235.
- Zlotkin, A., Eldar, A., Ghittino, C. and Bercovier, H. (1998) Identification for *Lactococcus garvieae* by

PCR. *Journal of Clinical Microbiology*, 36, 983-935.

### Bibliography (Subsection 1.2 Fish Pathogenic Lancefield Group C *Streptococcus dysgalactiae*)

- Aarestrup, F. M. and Jensen, N. E. (1996) Genotypic and phenotypic diversity of *Streptococcus dysgalactiae* strains isolated from clinical and subclinical cases of bovine mastitis. *Veterinary Microbiology*, 53, 315-323.
- Abdelsalam, M., Nakanishi, K., Yonemura, K., Itami, T., Chen, S. C. and Yoshida, T. (2009) Application of congo red agar for detection of *Streptococcus dysgalactiae* isolated from diseased fish. *Journal of Applied Ichthyology*, 25, 4, 442-446.
- Abdelsalam, M., Chen, S. C. and Yoshida, T. (2010) Phenotypic and genetic characterization of *Streptococcus dysgalactiae* strains from fish collected in Japan and other Asian countries. *FEMS Microbiology Letters*, 302, 32-38.
- Efstratiou, A., Colman, G., Hahn, G., Timobey, J. F., Boeufgras, J. M. and Monget, D. (1994) Biochemical differences among human and animal streptococci of Lancefield group C or group G. *Journal of Medical Microbiology*, 41, 145-148.
- Forsman, P., Tilsala-Timisjarvi, A. and Alatossava, T. (1997) Identification of staphylococcal and streptococcal causes of bovine mastitis using 16S-23S rRNA spacer regions. *Microbiology*, 143, 3491-3500.
- 6) Hagiwara, H., Takano, R., Noguchi, M. and Narita, M. (2009) A study of the lesions induced in *Seriola dumerili* by intradermal or intraperitoneal injection of *Streptococcus dysgalactiae*. *Journal of Comparative Pathology*, 140, 25-30.
- Hagiwara, H., Takano, R., Noguchi, M. and Narita, M. (2010) Lesions induced in *Seriola dumerili* following exposure to *Streptococcus dysgalactiae* by oral treatment or immersion. *Journal of Comparative Pathology*, 143, 262-267.
- Harrington, A.T. and Clarridge, J. E. III. (2013) Impact of identification of *Streptococcus dysgalactiae* subspecies *equisimilis* from throat cultures in an adult population. *Diagnostic Microbiology and Infectious Diseases*, 76, 20-23.
- Koh, T. H., Sng, L-H., Yuen, S. M., Thomas, C. K., Tan, P. L., Tan, S. H. and Wong, N. S. (2009) Streptococcal cellulitis following preparation of fresh raw seafood. *Zoonoses and Public Health*, 56, 206-208.
- Netto, L. N., Leal, C. A. G. and Figueiredo, H. C. P. (2011) *Streptococcus dysgalactiae* as an agent of septicaemia in Nile tilapia, *Oreochromis niloticus* (L.). *Journal of Fish Diseases*, 34, 251-254.
- Nishiki, I., Nomoto, R., Yonemura, K., Nakanishi, K., Hirae, T., Murase, T., Itami, T. and Yoshida, T. (2009) Antimicrobial sensitivity of *Streptococcus dysgalactiae* isolated from cultured genus *Seriola*. *Nippon Suisan Gakkaishi*, 75, 451-452 (in Japanese with English title).
- Nishiki, I., Noda, M., Itami, T. and Yoshida, T. (2010) Homogeneity of *Streptococcus dysgalactiae* from farmed amberjack *Seriola dumerili* in Japan. *Fisheries Science*, 76, 661-668.
- Nishiki, I., Horikiri, Y., Itami, T. and Yoshida, T. (2011) Cloning and expression of serum opacity factor in fish pathogenic *Streptococcus dysgalactiae* and its application to discriminate between fish and mammalian isolates. *FEMS Microbiology Letters*, 323, 68-74.
- Nishiki, I., Minami, T., Chen, S-C., Itami, T. and Yoshida, T. (2012) Expression of the serum opacity factor gene and the variation in its upstream region in *Streptococcus dysgalactiae* isolates from fish. *Journal of General and Applied Microbiology*, 58, 457-463.
- Nishiki, I., Minami, T., Itami, T. and Yoshida, T. (2013) Cloning and expression of a surface immunogenic protein in *Streptococcus dysgalactiae* isolated from fish and its application in enzyme-linked immunosorbent assay. *Journal of Fish Diseases*, doi:10.1111/ftd.12180 (in press).
- Nishiki, I., Minami, T., Itami, T. and Yoshida, T. (2014) A rapid agglutinating antibody detection method

for the diagnosis of *Streptococcus dysgalactiae* infection in farmed fish using recombinant surface immunogenic protein (rSd-Sip) coated latex beads. *Fish Pathology*, 49, 27-30.

Nomoto, R., Munasinghe, L. I., Jin, D. H., Shimahara, Y., Yasuda, H., Nakamura, A., Misawa, N., Itami, T. and Yoshida, T. (2004) Lancefield group C *Streptococcus dysgalactiae* infection responsible for fish mortalities in Japan. *Journal of Fish Diseases*, 27, 679-686.

Nomoto, R., Unose, N., Shimahara, Y., Nakamura, A., Hirae, T., Maebuchi, K., Harada, S., Misawa, N., Itami, T., Kagawa, H. and Yoshida, T. (2006) Characterization of Lancefield group C *Streptococcus dysgalactiae* isolated from farmed fish. *Journal of Fish Diseases*, 29, 673-682.

Nomoto, R., Kagawa, H. and Yoshida, T. (2008) Partial sequencing of *sodA* gene and its application to identification of *Streptococcus dysgalactiae* spp. *dysgalactiae* isolated from farmed fish. *Letters in Applied Microbiology*, 46, 95-100.

Vandamme, P., Pot, B., Falsen, E., Kersters, K. and Devriese, L. A. (1996) Taxonomic study of Lancefield streptococcal groups C, G, and L (*Streptococcus dysgalactiae*) and proposal of *S. dysgalactiae* subsp. *equisimilis* subsp. nov. *International Journal of Systematic Bacteriology*, 46, 774-781.

Vieira, V. V., Teixeira, L. M., Zahner, V., Momen, H., Facklam, R. R., Steigerwalt, A. G., Brenner, D. J. and Castro, A. C. D. (1998) Genetic relationships among the different phenotypes of *Streptococcus dysgalactiae* strains *International Journal of Systematic Bacteriology*, 48, 1231-1243.

Yang, W. and Li, A. (2009) Isolation and characterization of *Streptococcus dysgalactiae* from diseased *Acipenser schrenckii*. *Aquaculture*, 294, 14-17.

### Bibliography (Section 1.3. *Streptococcus Iniae*)

Agnew, W. and Barnes, A. C. (2007) *Streptococcus iniae*: An aquatic pathogen of global veterinary significance and a challenging candidate for reliable vaccination. *Veterinary Microbiology*, 12, 1-15.

Bachrach, G., Zlotkin, A., Hurvitz, A., Evans, D. L. and Eldar, A. (2001) Recovery of *Streptococcus iniae* from diseases fish previously vaccinated with a *Streptococcus* vaccine. *Applied and Environmental Microbiology*, 67, 3756-3758.

Berridge, B. R., Bercovier, H. and Frelier, P. F. (2001) *Streptococcus agalactiae* and *Streptococcus difficile* 16S-23S intergenic rDNA: genetic homogeneity and species-specific PCR. *Veterinary Microbiology*, 78, 165-173.

Eldar, A., Bejerano, Y. and Bercovier, H. (1994) *Streptococcus shiloi* and *Streptococcus difficile*: two new streptococcal species causing meningoencephalitis in fish. *Current Microbiology*, 28, 139-143.

Eldar, A., Frelier, P. F., Asanta, L., Varner, P. W., Lawhon, S. and Bercovier, H. (1995) *Streptococcus shiloi*, the name for an agent causing septicaemic infection in fish, is a junior synonym of *Streptococcus iniae*. *International Journal of Systematic Bacteriology*, 45, 840-842.

Eldar, A., Horovitz, H. and Bercovier, H. (1997) Development and efficacy of a vaccine against *Streptococcus iniae* infection in farmed rainbow trout. *Veterinary Immunology and Immunopathology*, 56, 175-183.

Eldar, A. and Ghittino, C. (1999) *Lactococcus garvieae* and *Streptococcus iniae* infections in rainbow trout *Oncorhynchus mykiss*: similar, but different diseases. *Diseases of Aquatic Organisms*, 36, 227-231.

Evans, J., Klesius, P. H. and Shoemaker, C. A. (2006) *Streptococcus* in warm-water fish. *Aquaculture Health International*, Issue 7, Nov. pp10-14 (published by VIP publications Ltd., Auckland, New Zealand).

Facklam, R., Elliot, J., Shewmaker, L. and Reingold, A. (2005) Identification and characterization of sporadic isolates of *Streptococcus iniae* isolated from humans. *Journal of Clinical Microbiology*, 43, 933-937.

Kani, K., Notohara, M., Kato, T., Shutou, K. and Yoshikoshi, K. (2006) Serological characterization of

- Streptococcus iniae* strains isolated from cultured fish in Japan. *Fish Pathology*, 41, 57-66.
- Klesius, P. H., Evans, J. J., Shoemaker, C. A., Yeh, H., Goodwin, A. E., Adams, A. and Thompson K. (2006): Rapid detection and identification of *Streptococcus iniae* using a monoclonal antibody based indirect fluorescent antibody technique. *Aquaculture*, 258, 180-186.
- Koh, T. H., Kurup, A. and Chen, J. (2004) *Streptococcus iniae* discitis in Singapore. *Emerging Infectious Diseases*, 10, 1694-1696.
- LaFrentz, B. R., Shoemaker, C. A. and Klesius, P. H. (2011) Immunoproteomic analysis of the antibody response obtained in Nile tilapia following vaccination with a *Streptococcus iniae* vaccine. *Veterinary Microbiology*, 152, 346-352.
- Lahav, D., Eyngor, M., Hurvitz, A., Ghittino, C., Lublin, A., and Eldar, A. (2004) *Streptococcus iniae* type II infections in rainbow trout *Oncorhynchus mykiss*. *Diseases of Aquatic Organisms*, 62, 177-180.
- Lau, S. K. P., Woo, P. C. Y., Tse, H., Leung, K. W., Wong, S. S. Y. and Yuen, K. Y. (2003) Invasive *Streptococcus iniae* infections outside north America. *Journal of Clinical Microbiology*, 41, 1004-1009.
- Locke, J. B., Colvin, K. M., Datta, A. K., Patel, S. K., Naidu, N. N., Neely, M. N., Nizet, V. and Buchanan, J. T. (2007a) *Streptococcus iniae* capsule impairs phagocytic clearance and contribute to virulence in fish. *Journal of Bacteriology*, 189, 1279-1287.
- Locke, J. B., Colvin, K. M., Varki, N., Vicknair, M. R., Nizet, V. and Buchanan, J. T. (2007b) *Streptococcus iniae*  $\beta$ -hemolysin streptolysin S is a virulence factor in fish infection. *Diseases of Aquatic Organisms*, 76, 17-26.
- Locke, J. B., Aziz, R. K., Vicknair, M. R., Nizet, V. and Buchanan, J. T. (2008) *Streptococcus iniae* M-like protein contributes to virulence in fish and is a target for live attenuated vaccine development. *Plos One*, 3, e2824.
- Lowe, B. A., Miller, J. D. and Neely, M. N. (2007) Analysis of the polysaccharide capsule of the systemic *Streptococcus iniae* and its implications in virulence. *Infection and Immunity*, 75, 1255-1264.
- Mata, A. I., Blanco, M. M., Dominguez, L., Fernandez-Garayzabal, J. F. and Gibello, A. (2004) Development a PCR assay for *Streptococcus iniae* based on the lactate oxidase (*lctO*) gene with potential diagnostic value. *Veterinary Microbiology*, 101, 109-116.
- Matsuoka, S., hashizume, T., Kanzaki, H., Iwamoto, E., Park, S. C., Yoshida, T. and Nakai, T (2007) Phage therapy against b-hemolytic streptococciosis of Japanese flounder *Paralichthys olivaceus*. *Fish Pathology*, 42, 181-189.
- Park, Y-K., Nho, S-W., Shin, G-W., Park, S-B., Jang, H-B., Cha, I-S., Ha, M-A., Kim, Y-R., Dalvi, R. S., Kang, B-J. and Jung, T-S. (2009) Antibiotic susceptibility and resistance of *Streptococcus iniae* and *Streptococcus parauberis* isolated from olive flounder (*Paralichthys olivaceus*). *Veterinary Microbiology*, 136, 76-81.
- Pier, G. B. and Madin, S. H. (1976) *Streptococcus iniae* sp nov., a beta-haemolytic *Streptococcus* isolated from an Amazon freshwater dolphin, *Inia geoffrensis*. *International Journal of Systematic Bacteriology*, 26, 545-553.
- Shelby, R. A., Klesius, P. H., Shoemaker, C. A. and Evans, J. J. (2002) Passive immunization of tilapia, *Oreochromis niloticus* (L.), with anti-*Streptococcus iniae* whole sera. *Journal of Fish Diseases*, 25, 1-6.
- Shoemaker, C. A., Klesius, P. H. and Evans, J. J. (2001) Prevalence of *Streptococcus iniae* in tilapia, hybrid striped bass, and channel catfish on commercial fish farms in the United States. *American Journal of Veterinary Research*, 62, 174-177.
- Shutou, K., Kanai, K. and Yoshikoshi, K. (2007) Virulence attenuation of capsule polysaccharide-deleted mutants of *Streptococcus iniae* in Japanese flounder *Paralichthys olivaceus*. *Fish Pathology*, 42, 41-48.
- Weinstein, M. R., Litt, M., Kertesz, D. A., Wyper, P., Rose, D., Coulter M., McGeer, A., Facklam, R.,

- Ostach, C., Willey, B. M., Borczyk, A. and Low, D. E. (1997) Invasive infections due to a fish pathogen, *Streptococcus iniae*. *S. iniae* Study Group. *New England Journal of Medicine*, 337, 589-594.
- Yoshida, T., Yamada, Y., Sakai, M., Inglis, V., Xie, X. J. and Chen, S. C. (1996) Association of the cell capsule with anti-opsonophagocytosis in  $\beta$ -hemolytic *Streptococcus* spp. isolated from rainbow trout. *Journal of Aquatic Animal Health*, 8, 223-228
- Zlotkin, A., Chilmonczyk, S., Eyngor, M., Hurvitz, A., Ghittino, C. and Eldar, A. (2003) Trojan horse effect: Phagocyte-mediated *Streptococcus iniae* infection infish. *Infection and Immunity*, 71, 2318-2325.

#### Bibliography (Section 1.4 *Streptococcus Parauberis*)

- Alber, J., El-Sayed, A., Lammler, C., Hassan, A. A. and Zschock, M. (2004) Polymerase chain reaction mediated identification of *Streptococcus uberis* and *Streptococcus parauberis* using species-specific sequences of the genes encoding superoxidase dismutase A and chaperonin 60. *Journal of Veterinary Medicine, Series B*, 51, 180-184.
- Curras, M., Magarinos, B., Toranzo, A. E. and Romalde, J. L. (2002) Dormancy as a survival strategy of the fish pathogen *Streptococcus parauberis* in the marine environment. *Diseases of Aquatic Organisms*, 52, 129-136
- Doménech, A., Fernández-Garayzábal, J. F., Pascual, C., Garcia, J. A., Cutuli, M. T., Moreno, M. A., Collins, M. D., and Dominguez, L. (1996) Streptococcosis in cultured turbot, *Scophthalmus maximus* (L.), associated with *Streptococcus parauberis*. *Journal of Fish Diseases*, 19, 33-38.
- Fernandez-No, I. C., Bohme, K., Calo-Mata, P., Canas, B., Gallardo, J. M. and Barros-Velazquez, J. (2012) Isolation and characterization of *Streptococcus parauberis* from vacuum-packaging refrigerated seafood products. *Food Microbiology*, 30, 91-97.
- Han, S. Y., Kang, B. K., Kang, B. J., Shin, S. P., Soen, B. H., Kim, J. M., Kim, J. H., Choresca, Jr., Han, J. E., Jun, J. W. and Park, S. C. (2011) Prevalence and different characteristics of two serotypes of *Streptococcus parauberis* isolated from the farmed olive flounder, *Paralichthys olivaceus* (Temminck and Schlegel) in Korea. *Journal of Fish Diseases*, 34, 731-739.
- Harikrishnan, R., Balasundaram, C. and Heo, M-S. (2010) *Lactobacillus sakei* BK19 enriched diet enhances the immunity status and diseases resistance to streptococcosis infection in kelp grouper, *Epinephelus bruneus*. *Fish & Shellfish Immunology*, 29, 1037-1043.
- Harikrishnan, R., Kim, M-C., Kim, J-S., Balasundaram, C. and Heo, M-S. (2011) Probiotics and herbal mixtures enhance the growth, bloof constituents, and nonspecific immune response in *Paralichthys olivaceus* against *Streptococcus parauberis*. *Fish & Shellfish Immunology*, 31, 310-317.
- Hassan, A. A., Khan, I. U., Abdulmawjood, A. and Lammler, C. (2001) Evaluation of PCR methods for rapid identification and differentiation of *Streptococcus uberis* and *S. parauberis*. *Journal of Clinical Microbiology*, 39, 1618-1621.
- Hwang, S. D., Woo, S. H., Kim, S. H., Ha, S. J., Jung, Y. E. and Park, S. I. (2008) Immunomodulatory characteristics of *Streptococcus parauberis* isolated from infected olive flounder, *Paralichthys olivaceus*. *Journal of Fish Pathology*, 21, 157-166.
- Kanai, K., Yamada, M., Meng, F., Takahashi, I., Nagano, T., Kawakami, H., Yamashita, A., Matsuoka S., Fukuda, Y., Miyoshi, Y., Takami, I., Nakano, H., Hirae, T., Shutou, K., Honma, T. (2009) Serological differentiation of *Streptococcus parauberis* strains isolated from cultured Japanese flounder in Japan. *Fish Pathology*, 44, 33-39.
- Kim, J. H., Gomez, D. K., Baeck, G. W., Shin, G. W., Heo, G. J., Jung, T. S. and Park, S. E. (2006) Pathogenicity of *Streptococcus parauberis* to olive flounder *Paralichthys olivaceus*. *Fish Pathology*, 41, 171-173.
- Mata, A. I., Gibello, A., Casamayor, A., Blanco, M. M., Dominguez, L. and Fernandez-Garayzabal, J. F. (2004) Multiplex PCR assay for detection of bacterial pathogens associated with warm-water streptococcosis in fish. *Applied and Environmental Microbiology*, 70, 3183-3187.

- Meng, F., Kanai, K. and Yoshikoshi, K. (2009a) Characterization of drug resistance in *Streptococcus parauberis* isolated from Japanese flounder. *Fish Pathology*, 44, 40-46.
- Meng, F., Kanai, K. and Yoshikoshi, K. (2009b) Structural characterization of Tn916-like element in *Streptococcus parauberis* serotype II strains isolated from diseased Japanese flounder. *Letters in Applied Microbiology*, 48, 770-776.
- Mori, K., Fukuda, Y., Togo, A., Miyoshi, Y. and Endo, M. (2010) Practical inoculation site for experimental infection of Japanese flounder *Paralichthys olivaceus* with *Streptococcus parauberis*. *Fish Pathology*, 45, 37-42.
- Mori, K. and Fukuda, Y. (2012) Protective efficacy of formalin-killed serotype I and II vaccines for *Streptococcus parauberis* infection in Japanese flounder *Paralichthys olivaceus*. *Fish Pathology*, 47, 107-110.
- Nho, S-W., Shin, G-W., Park, S-B., Jang, H-B., Cha, H-B., Ha, M-A., Kim, Y-R., Park, Y-K., Dalvi, R. S., Kang, B-J., Joh, S-J. and Jung, T-S. (2009) Phenotypic characteristics of *Streptococcus parauberis* isolated from olive flounder (*Paralichthys olivaceus*). *FEMS Microbiology Letters*, 293, 20-27.
- Nho, S. W., Hikima, J., Cha I. S., Park, S. B., Jang, H. B., del Castillo, C. S., Kondo, H., Hirono, I., Aoki, T. and Jung, T. S. (2011) Complete genome sequence and immunoproteomic analyses of the bacterial fish pathogen *Streptococcus parauberis*. *Journal of Bacteriology*, 193, 3356-3366.
- Park, Y. K., Nho, S. W., Shin, G. W., Park, S. B., Jang, H. B., Cha, I. S., Ha, M. A., Kim, Y. R., Dalvi, R. S., Kang, B. J. and Jung, T. S. (2009) Antibiotic susceptibility and resistance of *Streptococcus parauberis* isolated from olive flounder (*Paralichthys olivaceus*). *Veterinary Microbiology*, 136, 76-81.
- Ramos, M. F., Marques, J. F., Neves, J. V., Barandela, T., Sousa, J. A., Saraiva, A. and Rodrigues, P. N. (2004) *Streptococcus parauberis* infection in turbot *Scophthalmus maximus* in northern Portugal. *Fish Pathology*, 47, 80-82.
- Toranzo, A. E., Devesa, S., Heinen, P., Riaza, A., Nunez, S. and Barja, J. L. (1994) Streptococcosis in cultured turbot caused by an *Enterococcus*-like bacterium. *Bulletin of European Association of Fish Pathologists*, 14, 21-23.
- Toranzo, A. E., Devesa, S., Romalde, J. L., Lamas, J., Riaza, A., Leiro, J. and Barja, J. L. (1995) Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot. *Aquaculture*, 134, 17-27.
- Williams, A. M. and Collins, M. D. (1990) Molecular taxonomic studies on *Streptococcus uberis* type I and II. Description of *Streptococcus parauberis* sp. nov. *Journal of Applied Bacteriology*, 68, 485-490.

## Bibliography (Section 2: Nocardiosis)

- Rucker, R.R. (1949). A streptomycete pathogenic to fish. *Journal of Bacteriology* 58, 659-604.
- Kariya, T., Kubota, S., Nakamura, Y. and Kira, K. (1968). Nocardial infection in cultured yellowtail *Seriola quinqueradiata* and *S. purpurscens*. Bacteriological study. *Fish Pathology* 3, 16-23 (in Japanese).
- Kusuda, R. and Taki, H. (1973). Study about nocardiosis in cultured yellowtail. 1 Morphology and biochemical characteristics of pathogen. *Bulletin of Japanese Society for Scientific Fisheries* 39, 937-943.
- Kudo, T., Hatai, K. and Seino, A. (1988). *Nocardioides seriolae* sp. Nov. causing nocardiosis of cultured fish. *International Journal of Systematic Bacteriology* 38, 173-178.
- Itano, T., Kawakami, H., Kono, T. and Sakai, M. (2008). Estimation of the time for *Nocardia seriolae* infection of cultured yellowtail. *Fish pathology* 43, 86-88 (In Japanese).
- Sheppard, M.E. (2005). *A photographic guide to diseases of yellowtail (Seriola) fish*. 1-64 pp, Sakana Veterinary Services Ltd, Tokyo, Japan.
- Austin, B. and Austin, D.A. (2007). *Bacterial Fish Pathogens; Diseases of Farmed and Wild Fish*. 4<sup>th</sup> ed. 1-594 pp, Springer Praxis Publishing Ltd, Chichester, UK.
- Egusa, S. (1983). *Infectious and parasitic diseases of fish and shellfish*. 1-424 pp. Kouseisya Kouseikaku

Ltd, Tokyo, Japan.

Cornwell. E.R., Cinelli. M.J., McIntosh. F.M. Blank. G.S., Wooster. G.A., Grocock. G.H., Getchell. R.G. and Bowser. P.R. (2011). Epizootic Nocardia infection in cultured weakfish, *Cynoscion regalis* (Bioch and Schneider). *Journal of Fish Diseases* 34, 567-571.

Kono. T., Ooyama. T., Chen. S.C. and Sakai. M. (2002). Sequencing of 16S-23S rRNA internal transcribed spacer and its application in the identification of *Nocardia seriolaee* by polymerase chain reaction. *Aquaculture Research* 33, 1195-1197.

Miyoshi. Y. and Suzuki. S. (2003). PCR Method to detect *Nocardia seriolaee* in Fish Samples. *Fish Pathology* 3, 93-98.

Itano. T., Kawakami. H., Kono. T. and Sakai. M. (2006). Detection of fish nocardiosis by loop-mediated isothermal amplification. *Journal of Applied Microbiology* 100, 1381-1387.

Yasumoto. S. and Yasunaga. N. (1986). Tissue levels of drugs in cultured yellowtail infected with *Nocardia kampachi* and *Streptococcus* sp. *Bulletin of Nagasaki Prefectural Institute of Fisheries* 12, 47-52 (in Japanese).

Hatai. K., Yasumoto. S. and Yasunaga. N. (1984). Therapeutic effects of erythromycin (EM) against nocardiosis in yellowtails experimentally infected with *Nocardia kampachi*. *Bulletin of Nagasaki Prefectural Institute of Fisheries* 10, 85-93 (in Japanese).

Itano. T. and Kawakami. H. (2002). Drug Susceptibility of Recent Isolates of *Nocardia seriolaee* from Cultured Fish. *Fish Pathology* 3, 152-153 (In Japanese).

Shimahara. Y., Yasuda. H., Nakamura. A., Itami. T. and Yoshida. T. (2005). Detection of antibody response against *Nocardia seriolaee* by enzyme-linked immunosorbent assay (ELISA) and a preliminary vaccine trial in yellowtail *Seriola quinqueradiata*. *Bulletin of the European Association of Fish Pathologists* 25, 270-275.

Itano. T., Kawakami. H., Kono. T. and Sakai, M. (2006). Live vaccine trials against nocardiosis in yellowtail *Serioirra quinqueradiata*. *Aquaculture* 261, 1175-1180.

### **Bibliography (Section 3: Mycobacterial disease)**

Adams A., Thompson K.D., Morris D., Farias C. and Chen S.-C. (1995). Development and use of monoclonal antibody probes for immunohistochemistry, ELISA and IFAT to detect bacterial and parasitic fish pathogens. *Fish and Shellfish Immunology* 5, 537-547.

Adams A., Thompson K.D., McEwan H., Chen S.-C. and Richards R.H. (1996). Development of monoclonal antibodies to *Mycobacterium* spp. isolated from chevron snakeheads and siamese fightingfish. *Journal of Aquatic Animal Health* 8, 208-215.

Adékambi T. and Drancourt M. (2004). Dissection of phylogenetic relationships among 19 rapidly growing *Mycobacterium* species by 16S rRNA, hsp65, sodA, recA and rpoB gene sequencing. *International journal of systematic and evolutionary microbiology* 54, 2095-2105.

Alcaide F., Benítez M.A., Escribà J.M. and Martín R. (2000). Evaluation of the BACTEC MGIT 960 and the MB/BacT systems for recovery of mycobacteria from clinical specimens and for species identification by DNA AccuProbe. *Journal of Clinical Microbiology* 38, 398-401.

Blackwell V.C., Hamilton A.J. and Hay R.J. (2001). Production of a species specific monoclonal antibody against a 56-kDa *Mycobacterium marinum* antigen which is potentially useful in culture identification. *FEMS Immunology and Medical Microbiology* 30, 9-12.

Clarridge J.E. III. (2004). Impact of 16S rRNA gene sequence analysis for identification of bacteria on clinical microbiology and infectious diseases. *Clinical Microbiology Reviews* 17, 840-862.

Devallois A., Picardeau M., Goh K.S., Sola C., Vincent V. and Rastogi N. (1996). Comparative evaluation of PCR and commercial DNA probes for detection and identification to species level of *Mycobacterium avium* and *Mycobacterium intracellulare*. *Journal of Clinical Microbiology* 34, 2756-2759.

Eisenstadt J. and Hall G.S. (1995). Microbiology and classification of mycobacteria. *Clinics in*

*Dermatology* 13, 197-206.

Gauthier D.T. and Rhodes M.W. (2009). Mycobacteriosis in fishes: a review. *Veterinary Journal* 180, 33-47.

Hedrick R.P., McDowell T. and Groff J. (1987). Mycobacteriosis in cultured striped bass from California. *Journal of Wildlife Diseases* 23, 391-395.

Helguera-Repetto C., Cox R.A., Muñoz-Sánchez J.L. and Gonzalez-y-Merchand J.A. (2004). The pathogen *Mycobacterium marinum*, a faster growing close relative of *Mycobacterium tuberculosis*, has a single rRNA operon per genome. *FEMS Microbiology Letters* 235, 281-288.

Kato G., Kondo H., Aoki T. and Hirono I. (2010). BCG vaccine confers adaptive immunity against *Mycobacterium* sp. infection in fish. *Developmental and Comparative Immunology* 34, 133-140.

Kato G., Kato K., Saito K., Pe Y., Kondo H., Aoki T. and Hirono I. (2011). Vaccine efficacy of *Mycobacterium bovis* BCG against *Mycobacterium* sp. infection in amberjack *Seriola dumerili*. *Fish and Shellfish Immunology* 30, 467-472.

Kim B.J., Lee S.H., Lyu M.A., Kim S.J., Bai G.H., Chae G.T., Kim E.C., Cha C.Y. and Kook Y.H. (1999). Identification of mycobacterial species by comparative sequence analysis of the RNA polymerase gene (*rpoB*). *Journal of Clinical Microbiology* 37, 1714-1720.

Kirschner P., Springer B., Vogel U., Meier A., Wrede A., Kiekenbeck M., Bange F.C. and Böttger E.C. (1993). Genotypic identification of mycobacteria by nucleic acid sequence determination: report of a 2-year experience in a clinical laboratory. *Journal of Clinical Microbiology* 31, 2882-2889.

Knibb W., Colorni A., Ankaoua M., Lindell D., Diamant A. and Gordin H. (1993). Detection and identification of a pathogenic marine *Mycobacterium* from the European seabass *Dicentrarchus labrax* using polymerase chain reaction and direct sequencing of 16S rDNA sequences. *Molecular Marine Biology and Biotechnology* 2, 225-232.

Kurokawa S., Kabayama J., Fukuyasu T., Hwang S.D., Park C.I., Park S.B., del Castillo C.S., Hikima J., Jung T.S., Kondo H., Hirono I., Takeyama H. and Aoki T. (2013). Bacterial classification of fish-pathogenic *Mycobacterium* species by multigene phylogenetic identification system. *Marine Biotechnology* 15, 340-348.

Lewis S. and Chinabut S. (2011). Chapter 11 Mycobacteriosis and nocardiosis. In: *Fish diseases and disorders*, Volume 3: viral, bacterial and fungal infections. Woo P.T.K. and Bruno D.W. (eds.), CAB International, Wallingford, UK.

Lloyd R., Cairney M. and Adams A. (2009). Development of real-time polymerase chain reaction to quantify *Mycobacterium marinum* in water. *Fish Veterinary Journal* 11, 1-17.

Mainous M.E. and Smith S.A. (2005). Efficacy of common disinfectants against *Mycobacterium marinum*. *Journal of Aquatic Animal Health* 17, 284-288.

Mosi L., Mutoji N.K., Basile F.A., Donnell R., Jackson K.L., Spangenberg T., Kishi Y., Ennis D.G. and Small P.L. (2012). *Mycobacterium ulcerans* causes minimal pathogenesis and colonization in medaka (*Oryzias latipes*): an experimental fish model of disease transmission. *Microbes and Infection* 14, 719-729.

Parikka M., Hammarén M.M., Harjula S.K., Halfpenny N.J., Oksanen K.E., Lahtinen M.J., Pajula E.T., Iivanainen A., Pesu M. and Rämet M. (2012). *Mycobacterium marinum* causes a latent infection that can be reactivated by gamma irradiation in adult zebrafish. *PLOS Pathogens* 8(9).

Pasnik D.J., Vemulapalli R., Smith S.A. and Schurig G.G. (2003). A recombinant vaccine expressing a mammalian *Mycobacterium* sp. antigen is immunostimulatory but not protective in striped bass. *Veterinary Immunology and Immunopathology* 95, 43-52.

Pitulle C., Dorsch M., Kazda J., Wolters J. and Stackebrandt E. (1992). Phylogeny of rapidly growing members of the genus *Mycobacterium*. *International Journal of Systematic Bacteriology* 42, 337-343.

Pourhamad F. (2007). Molecular Detection and Identification of Aquatic Mycobacteria, PhD thesis, University of Stirling, UK.

Pourahmad F., Cervellione F., Thompson K.D., Taggart J.B., Adams A. and Richards R.H. (2008). *Mycobacterium stomateiae* sp. nov., a slowly growing, non-chromogenic species isolated from fish.

- International journal of systematic and evolutionary microbiology* 58, 2821-2827.
- Pourahmad F., Thompson K.D., Adams A. and Richards R.H. (2009). Detection and identification of aquatic mycobacteria in formalin-fixed, paraffin-embedded fish tissues. *Journal of Fish Diseases* 32, 409-419.
- Puttinaowarat S., Thompson K.D., Kolk, A. and Adams A. (2002). Identification of *Mycobacterium* spp. isolates from snakehead, *Channa striata* (Fowler), and Siamese fighting fish, *Betta splendens* (Regan), using polymerase chain reaction-reverse cross blot hybridization (PCR-RCBH). *Journal of Fish Diseases* 25, 235-243.
- Ramachandran R. and Paramasivan C.N. (2003). What is new in the diagnosis of tuberculosis? Part I; Techniques for diagnosis of tuberculosis. *Indian Journal of Tuberculosis* 50, 133-141.
- Ringuet H., Akoua-Koffi C., Honore S., Varnerot A., Vincent V., Berche P., Gaillard J.L. and Pierre-Audigier C. (1999). Hsp65 sequencing for identification of rapidly growing mycobacteria. *Journal of Clinical Microbiology* 37, 852-857.
- Roth A., Fischer M., Hamid M.E., Michalke S., Ludwig W. and Mauch H. (1998). Differentiation of phylogenetically related slowly growing mycobacteria based on 16S-23S rRNA gene internal transcribed spacer sequences. *Journal of Clinical Microbiology* 36, 139-147.
- Rybniček J., Wolke M., Haefs C. and Plum G. (2003). Transposition of Tn5367 in *Mycobacterium marinum*, using a conditionally recombinant mycobacteriophage. *Journal of Bacteriology* 185, 1745-1748.
- Salati F., Meloni M., Fenza A., Angelucci G., Colorni A. and Orrù G. (2010). A sensitive FRET probe assay for the selective detection of *Mycobacterium marinum* in fish. *Journal of Fish Diseases* 33, 47-56.
- Smole S.C., McAleese F., Ngampasutadol J., Von Reyn C.F. and Arbeit R.D. (2002). Clinical and epidemiological correlates of genotypes within the *Mycobacterium avium* complex defined by restriction and sequence analysis of hsp65. *Journal of Clinical Microbiology* 40, 3374-3380.
- Solomon J.M., Leung G.S. and Isberg R.R. (2003). Intracellular replication of *Mycobacterium marinum* within *Dictyostelium discoideum*: efficient replication in the absence of host coronin. *Infection and Immunity* 71, 3578-3586.
- Springer B., Stockman L., Teschner K., Roberts G.D. and Böttger E.C. (1996). Two-laboratory collaborative study on identification of mycobacteria: molecular versus phenotypic methods. *Journal of Clinical Microbiology* 34, 296-303.
- Stinear T.P., Seemann T., Harrison P.F., Jenkin G.A., Davies J.K., Johnson P.D., Abdellah Z., Arrowsmith C., Chillingworth T., Churcher C., Clarke K., Cronin A., Davis P., Goodhead I., Holroyd N., Jagels K., Lord A., Moule S., Mungall K., Norbertczak H., Quail M.A., Rabbinowitsch E., Walker D., White B., Whitehead S., Small P.L., Brosch R., Ramakrishnan L., Fischbach M.A., Parkhill J. and Cole S.T. (2008). Insights from the complete genome sequence of *Mycobacterium marinum* on the evolution of *Mycobacterium tuberculosis*. *Genome Research* 18, 729-741.
- Stoffregen D.A., Bowser P.R. and Babish J.G. (1996). Antibacterial chemotherapeutics for finfish aquaculture: a synopsis of laboratory and field efficacy and safety studies. *Journal of Aquatic Animal Health* 8, 181-207.
- Swanson D.S., Pan X. and Musser J.M. (1996). Identification and subspecific differentiation of *Mycobacterium scrofulaceum* by automated sequencing of a region of the gene (hsp65) encoding a 65-kilodalton heat shock protein. *Journal of Clinical Microbiology* 34, 3151-3159.
- Talaat A.M., Trucksis M., Kane A.S. and Reimschuessel R. (1999). Pathogenicity of *Mycobacterium fortuitum* and *Mycobacterium smegmatis* to goldfish, *Carassius auratus*. *Veterinary Microbiology* 66, 151-164.
- Telenti A., Marchesi F., Balz M., Bally F., Böttger E.C. and Bodmer T. (1993). Rapid identification of mycobacteria to the species level by polymerase chain reaction and restriction enzyme analysis. *Journal of Clinical Microbiology* 31, 175-178.
- Tortoli E., Bartoloni A., Böttger E.C., Emmer S., Garzelli C., Magliano E., Mantella A., Rastogi N., Rindi L., Scarparo C. and Urbano P. (2001). Burden of unidentifiable mycobacteria in a reference laboratory. *Journal of Clinical Microbiology* 39, 4058-4065.

Tortoli E. (2003). Impact of genotypic studies on mycobacterial taxonomy: the new mycobacteria of the 1990s. *Clinical Microbiology Reviews* 16, 319-354.

Verstijnen C.P., Ly H.M., Polman K., Richter C., Smits S.P., Maselle S.Y., Peerbooms P., Rienthong D., Montreewasuwat N., Koanjanart S., et al. (1991). Enzyme-linked immunosorbent assay using monoclonal antibodies for identification of mycobacteria from early cultures. *Journal of Clinical Microbiology* 29, 1372-1375.

Wallace R.J. Jr, Brown-Elliott B.A., Brown J., Steigerwalt A.G., Hall L., Woods G., Cloud J., Mann L., Wilson R., Crist C., Jost K.C. Jr, Byrer D.E., Tang J., Cooper J., Stamenova E., Campbell B., Wolfe J. and Turenne C. (2005). Polyphasic characterization reveals that the human pathogen *Mycobacterium peregrinum* type II belongs to the bovine pathogen species *Mycobacterium senegalense*. *Journal of Clinical Microbiology* 43, 5925-5935.

Whipps C.M., Watral V.G. and Kent M.L. (2003). Characterization of a *Mycobacterium* sp. in rockfish, *Sebastodes alutus* (Gilbert) and *Sebastodes reedi* (Westrheim & Tsuyuki), using rDNA sequences. *Journal of Fish Diseases* 26, 241-245.

Yamada-Noda M., Ohkusu K., Hata H., Shah M.M., Nhung P.H., Sun X.S., Hayashi M. and Ezaki T. (2007). Mycobacterium species identification--a new approach via dnaJ gene sequencing. *Systematic and Applied Microbiology* 30, 453-462.

Zerihun M.A., Nilsen H., Hodneland S. and Colquhoun D.J. (2011). *Mycobacterium salmoniphilum* infection in farmed Atlantic salmon, *Salmo salar* L. *Journal of Fish Diseases* 34, 769-781.

#### Bibliography (Section 4. Pasteurellosis)

Snieszko S.F., Bullock G.L., Hollis E. and Boone J.G. (1964). *Pasteurella* sp. From an epizootic of white perch (*Roccus americanus*) in chesapeake bay tidewater areas. *Journal of Bacteriology* 88, 1814-1815.

Kubota S., Kimura M. and Egusa S. (1970). Studies of a bacterial tuberculoidosis of the yellowtail—I Symptomatology and histopathology. *Fish Pathology* 4, 111-118. (In Japanese)

Toranzo A.E., Barreiro S., Casal J.F., Figueras A., Magarinos B. and Barja J.L. (1991). Pasteurellosis in cultivated gilthead bream (*Sparus aurata*): first report in Spain. *Aquaculture* 99, 1-15.

Gauthier G., Lafay B., Ruimy R., Breitmayer V., Nicolas J.L., Gauthier M. and Christen R. (1995). Small-subunit rRNA sequences and whole DNA relatedness concur for the reassignment of *Pasteurella piscicida* (Snieszko et al.) Janssen and Surgalla to the genus *Photobacterium* as *Photobacterium damsela* subsp. *piscicida* comb. nov. *International Journal of Systematic Bacteriology* 45, 139-144.

Magariños B., Romalde J.L., Bandín I., Fouz B. and Toranzo A.E. (1992). Phenotypic, antigenic, and molecular characterization of *Pasteurella piscicida* strains isolated from fish. *Applied and Environmental Microbiology* 58, 3316-3322.

6. Thyssen A., Grisez L., van Houdt R. and Ollevier F. (1998). Phenotypic characterization of the marine pathogen *Photobacterium damsela* subsp. *piscicida*. *International Journal of Systematic Bacteriology* 48, 1145-1151.

7. Zhao J. and Aoki T. (1992). Plasmid profile analysis of *Pasteurella piscicida* and use of a plasmid DNA probe to identify the species. *Journal of Aquatic Animal Health* 4, 198-202.

8. Osorio C.R., Marrero J., Wozniak R.A., Lemos M.L., Burrus V. and Waldor M.K. (2008). Genomic and functional analysis of ICEPdaSpa1, a fish-pathogen-derived SXT-related integrating conjugative element that can mobilize a virulence plasmid. *Journal of Bacteriology* 190, 3353-3361.

9. Naka H., Hirono I. and Aoki T. (2005). Cloning and characterization of two types of tonB genes, tonB1 and tonB2, and ferric uptake regulator gene, fur from *Photobacterium damsela* subsp. *piscicida*. *Fish Pathology* 40, 73-79.

10. Bakopoulos V., Volpatti D., Adams A., Galeotti M. and Richards R. (1997). Qualitative differences in the immune response of rabbit, mouse and sea bass, *Dicentrarchus labrax*, L., to *Photobacterium damsela* subsp *piscicida*, the causative agent of fish pasteurellosis. *Fish and Shellfish Immunology* 7, 161-174.

11. Jung T.S., Thompson K.D. and Adams A. (2001a). Determination of the Attachment of *Photobacterium*

- damselae* subsp. *piscicida* to Fish Cells Using an Enzyme Linked Immunosorbent Assay. *Fish Pathology* 36, 201-206.
12. Kvitt H., Ucko M., Colorni A., Batargias C., Zlotkin A. and Knibb W. (2002). *Photobacterium damsela* subsp. *piscicida*: detection by direct amplification of 16S rRNA gene sequences and genotypic variation as determined by amplified fragment length polymorphism (AFLP). *Diseases of Aquatic Organisms* 48, 187-195.
13. Osorio C.R., Collins M.D., Romalde J.L. and Toranzo A.E. (2005). Variation in 16S-23S rRNA intergenic spacer regions in *Photobacterium damsela*: a mosaic-like structure. *Applied and Environmental Microbiology* 71, 636-645.
14. Jung T.S., Thompson K.D. and Adams A. (2001). A comparison of sialic acid between different isolates of *Photobacterium damsela* subsp. *piscicida*. *Fish Pathology* 36, 217-224.
15. Nagano I., Oshima S.-I. and Kawai K. (2011b). In vivo analysis on the adherence and infection route of *Photobacterium damsela* subsp. *piscicida* in yellowtail. *Fish Pathology* 46, 45-50.
16. Arijo S., Borrego J.J., Zorrilla I., Balebona M.C. and Morinigo M.A. (1998). Role of the capsule of *Photobacterium damsela* subsp. *piscicida* in protection against phagocytosis and kilHng by gilt-head seabream (*Sparus aurata* L.) macrophages. *Fish and Shellfish Immunology* 8, 63-72.
17. Bonet R., Magariños B., Romalde J.L., Simon-Pujol M.D., Toranzo A.E. and Congregado F. (1994). Capsular polysaccharide expressed by *Pasteurella piscicida* grown in vitro. *FEMS Microbiology Letters* 124, 285-289.
18. Acosta F., Vivas J., Padilla D., Vega J., Bravo J., Grasso V. and Real F. (2009). Invasion and survival of *Photobacterium damsela* subsp. *piscicida* in non-phagocytic cells of gilthead sea bream, *Sparus aurata* L. *Journal of Fish Diseases* 32, 535-541.
19. do Vale A., Costa-Ramos C., Silva D.S., Macedo P.M., Fernandes R., Sampaio P., Dos Santos N.M. and Silva M.T. (2007). Cytochemical and ultrastructural study of anoikis and secondary necrosis in enterocytes detached in vivo. *Apoptosis* 12, 1069-1083.
20. Noya M. and Lamas J. (1997). Response of eosinophilic granule cells of gilthead seabream (*Sparus aurata*, Teleostei) to bacteria and bacterial products. *Cell and Tissue Research* 287, 223-230.
21. Elkamel A.A., Hawke J.P., Henk W.G. and Thune R.L. (2003). *Photobacterium damsela* subsp. *piscicida* is capable of replicating in hybrid striped bass macrophages. *Journal of Aquatic Animal Health* 15, 175-183.
22. Magariños B., Santos Y., Romalde J.L., Rivas C., Barja J.L. and Toranzo A.E. (1992). Pathogenic activities of live cells and extracellular products of the fish pathogen *Pasteurella piscicida*. *Journal of general microbiology* 138, 2491-2498.
23. Bakopoulos V., Hanif A., Poulos K., Galeotti M., Adams A. and Dimitriadis G.J. (2004). The effect of in vivo growth on the cellular and extracellular components of the marine bacterial pathogen *Photobacterium damsela* subsp. *piscicida*. *Journal of Fish Diseases* 27, 1-13.
24. Acosta F., Ruiz de Galarreta C.M., Ellis A.E., Díaz R., Gómez V., Padilla D. and Real F. (2004). Activation of the nitric oxide response in gilthead seabream after experimental infection with *Photobacterium damsela* subsp. *piscicida*. *Fish and Shellfish Immunology* 16, 581-588.
25. Díaz-Rosales P., Chabrión M., Arijo S., Martínez-Manzanares E., Moriñigo M.A. and Balebona M.C. (2006). Superoxide dismutase and catalase activities in *Photobacterium damsela* subsp. *piscicida*. *Journal of Fish Diseases* 29, 355-364.
26. Osorio C.R., Collins M.D., Romalde J.L. and Toranzo A.E. (2004). Characterization of the 23S and 5S rRNA genes and 23S-5S intergenic spacer region (ITS-2) of *Photobacterium damsela*. *Diseases of Aquatic Organisms* 61, 33-39.
27. Rodrigues P.N. and Pereira F.A. (2004). Effect of dietary iron overload on *Photobacterium damsela* subsp. *piscicida* pathogenicity in sea bass, *Dicentrarchus labrax* (L.). *Journal of Fish Diseases* 27, 673-676.
28. Osorio C.R., Lemos M.L. and Braun V. (2004). Identification of Fur regulated genes in the bacterial fish pathogen *Photobacterium damsela* subsp. *piscicida* using the Fur titration assay. *BioMetals* 17, 725-733.

29. Lemos M.L. and Osorio C.R. (2007). Heme, an iron supply for vibrios pathogenic for fish. *BioMetals* 20, 615-626.
30. Jung T.S., Thompson K.D., Volpatti D., Galeotti M. and Adams A. (2007). Variation in the molecular weight of *Photobacterium damselaе* subsp. *piscicida* antigens when cultured under different conditions in vitro. *Journal of Veterinary Science* 8, 255-261.
31. Jung T.S., Thompson K.D., Volpatti D., Galeotti M. and Adams A. (2008). In vivo morphological and antigenic characteristics of *Photobacterium damselaе* subsp. *piscicida*. *Journal of Veterinary Science* 9, 169-175.
32. Hawke J.P., Thune R.L., Cooper R.K., Judice E. and Kelly-Smith M. (2003). Molecular and phenotypic characterization of strains of *Photobacterium damselaе* subsp. *piscicida* from hybrid striped bass cultured in Louisiana, USA. *Journal of Aquatic Animal Health* 15, 189-201.
33. Balebone M.C., Moriñigo M.A., Sedano J., Martinez-Manzanares E., Vidaurreta A., Borrego J.J. and Toranzo A.E. (1992). Isolation of *Pasteurella piscicida* from sea bass in Southwestern Spain. *Bulletin of the European Association of Fish Pathologists* 12, 168-170.
34. Kubota S.S., Miyazaki T. and Eguda S. (1982). In: *Color atlas of fish histopathology*, p.212, Shin-Suisan, Shinbun-Sha, Tokyo, Japan.
- Kakizaki E., Yoshida T., Kawakami H., Oseto M., Sakai T. and Sakai M. (1996). Detection of bacterial antigens using immuno-PCR. *Letters in Applied Microbiology* 23, 101-103.
- Kijima-Tanaka M., Kawanishi M., Fukuda Y., Suzuki S. and Yagyu K. (2007). Molecular diversity of *Photobacterium damselaе* ssp. *piscicida* from cultured amberjacks (*Seriola* spp.) in Japan by pulsed-field gel electrophoresis and plasmid profiles. *Journal of Applied Microbiology* 103, 381-389.
- Matsuyama T., Kamaishi T. and Oseko N. (2006). Rapid discrimination offish pathogenic. *Vibrio* and *Photobacterium* species by oligonucleotide DNA array. *Fish Pathology* 41, 105-112.
- Romalde J.L., Magariños B., Turnbull K.D., Baya A.M., Barja J.M. and Toranzo A.E. (1995). Fatty acid profiles of "*Pasteurella*" *piscicida*: comparison with other fish pathogenic gram-negative bacteria. *Archives of Microbiology* 163, 211-216.
- Bakopolous V., Volpatti D., Papapanagiotou E., Richards R., Galleotti M. and Adams A. (1997b). Development of an ELISA to detect *Pasteurella piscicida* in culture and in 'spiked' fish tissue. *Aquaculture* 156, 359-366.
- Rajan P.R., Lin J.H., Ho M.S. and Yang H.L. (2003). Simple and rapid detection of *Photobacterium damselaе* ssp. *piscicida* by a PCR technique and plating method. *Journal of Applied Microbiology* 95, 1375-1380.
- Chang C.I., Wu C.C., Cheng T.C., Tsai J.M. and Lin K.J. (2009). Multiplex nested-polymerase chain reaction for the simultaneous detection of *Aeromonas hydrophila*, *Edwardsiella tarda*, *Photobacterium damselaе* and *Streptococcus iniae*, four important fish pathogens in subtropical Asia. *Aquaculture Research* 40, 1182-1190.
- López J.R., Navas J.I., Thanantong N., de la Herran R. and Sparagano O.A.E. (2012). Simultaneous identification of five marine fish pathogens belonging to the genera *Tenacibaculum*, *Vibrio*, *Photobacterium* and *Pseudomonas* by reverse line blot hybridization. *Aquaculture* 324-325, 33-38.
- Sugita H., Asai T., Hayashi K., Mitsuya T., Amanuma K., Maruyama C. and Deguchi Y. (1992). Application of ozone disinfection to remove *Enterococcus seriolicida*, *Pasteurella piscicida*, and *Vibrio anguillarum* from seawater. *Applied and Environmental Microbiology* 58, 4072-4075.
- Kawakami H., Shinohara N. and Sakai M. (1998). The non-specific immunostimulation and adjuvant effects of *Vibrio anguillarum* bacterin, M-glucan, chitin and Freund's complete adjuvant against *Pasteurella piscicida* infection in yellowtail. *Fish Pathology* 33, 287-292.
- Martínez-Manzanares E., Tapia-Paniagua S.T., Díaz-Rosales P., Chabrilón M. and Moriñigo M.A. (2008). Susceptibility of *Photobacterium damselaе* subsp. *piscicida* strains isolated from Senegalese sole, *Solea senegalensis* Kaup, and gilthead seabream, *Sparus aurata* L., to several antibacterial agents. *Journal of Fish Diseases* 31, 73-76.

- Aoki T. and Kitao T. (1985). Detection of transferable R plasmids in strains of the fish-pathogenic bacterium, *Pasteurella piscicida*. *Journal of Fish Diseases* 8, 345-350.
- Thune R.L., Fernandez D.H., Hawke J.P. and Miller R. (2003). Construction of a safe, stable, efficacious vaccine against *Photobacterium damsela* ssp. *piscicida*. *Diseases of Aquatic Organisms* 57, 51-58.
- Gravningen K., Sakai M., Mishiba T. and Fujimoto T. (2008). The efficacy and safety of an oil-based vaccine against *Photobacterium damsela* subsp. *piscicida* in yellowtail (*Seriola quinqueradiata*): a field study. *Fish and Shellfish Immunology* 24, 523-529.
- Ho L.P., Han-You Lin J., Liu H.C., Chen H.E., Chen T.Y. and Yang H.L. (2011). Identification of antigens for the development of a subunit vaccine against *Photobacterium damsela* ssp. *piscicida*. *Fish and Shellfish Immunology* 30, 412-419.
- Pedersen K., Skall H.F., Lassen-Nielsen A.M., Bjerrum L. and Olesen N.J. (2009). *Photobacterium damsela* subsp. *damsela*, an emerging pathogen in Danish rainbow trout, *Oncorhynchus mykiss* (Walbaum), mariculture. *Journal of Fish Diseases* 32, 465-472.
- Wang R., Feng J., Su Y., Ye L. and Wang J. (2012). Studies on the isolation of *Photobacterium damsela* subsp. *piscicida* from diseased golden pompano (*Trachinotus ovatus* Linnaeus) and antibacterial agents sensitivity. *Veterinary Microbiology* 162, 957-963.
- Takahashi H., Miya S., Kimura B., Yamane K., Arakawa Y. and Fujii T. (2008). Difference of genotypic and phenotypic characteristics and pathogenicity potential of *Photobacterium damsela* subsp. *damsela* between clinical and environmental isolates from Japan. *Microbial Pathogenesis* 45, 150-158.

### Bibliography (Section 5. Vibriosis)

- Bergman A.M. (1909). Die rote Beulenkrankheit des Aals. Berichte aus der Königlichen Bayerischen Biologischen Versuchsstation (in München) 2, 10-54.
- Hoshina T. (1957). Further observations of the causative bacteria of the epidemic disease like furunculosis of rainbow-trout. *Journal of the Tokyo University of Fisheries* 43, 59-66.
- Smith I.W. (1959). *Vibrio* spp. in finnock from the aberbeenshire Dee. *Nature* 183, 1409-1410.
- Hacking M.A. and Budd J. (1971). *Vibrio* infection in tropical fish in a freshwater aquarium. *Journal of Wildlife Diseases* 7, 213-280.
- Hjeltnes B. and Roberts R.J. (1993). Chapter 6, Vibriosis. In: *Bacterial diseases of fish*, pp.107-121, Inglis V., Roberts R.J. and Bromage N.R. (eds.), Blackwell Science Ltd, London, UK.
- Muroga K. (2004). Chapter III: Bacterial diseases. In: *Infectious and parasitic disease of fish and shellfish*, pp.129-262, Wakabayashi H. and Muroga K. (eds.), Kouseisha-Kouseikaku, Tokyo, Japan. (In Japanese)
- Schiwe M.H., Trust T.J. and Crosa J.H. (1981). *Vibrio ordalii* sp. nov.: A causative agent of vibriosis in fish. *Current Microbiology* 6, 343-348.
- Egidius E., Wiik R., Andersen K., Hoff K.A. and Hjeltnes B. (1986). *Vibrio salmonicida* sp. nov., a new fish pathogen. *International Journal of Systematic Bacteriology* 36, 518-520.
- Nishibuchi M., Muroga K., Seidler R.J. and Fryer J.L. (1979). Pathogenic *Vibrio* isolated from cultured eel-IV. Deoxyribonucleic acid studies. *Bulletin of the Japanese Society of Scientific Fisheries* 45, 1469-1473.
- Biosca E.G., Amaro C., Esteve C., Fouz B. and Toranzo A.E. (1991). First record of *Vibrio vulnificus* biotype 2 from diseased European eels, *Anguilla anguilla* L. *Journal of Fish Diseases* 14, 103-109.
- Veenstra J., Rietra P.J., Stoutenbeek C.P., Coster J.M., de Gier HH and Dirks-Go S. (1992). Infection by an indole-negative variant of *Vibrio vulnificus* transmitted by eels. *Journal of Infectious Diseases* 166, 209-210.
- Colorni A., Paperna I. and Gordin H. (1981). Bacterial infections in gilt-head sea bream *Sparus aurata* cultured at Elat. *Aquaculture* 23, 257-267.
- Hatai K., Iwasaki Y. and Egisa S. (1975). *Vibrio parahaemolyticus* isolated from diseased yellowtails. *Fish*

*Pathology* 10, 31-37. (In Japanese)

Takahashi Y., Shimoyama Y. and Monoyama K. (1985). Pathogenicity and Characteristics of *Vibrio* sp. isolated from cultured kuruma prawn *Penaeus japonicus* BATE. *Bulletin of the Japanese Society of Scientific Fisheries* 51, 721-730. (In Japanese)

Ishimaru K., Akagawa-Matsushita M. and Muroga K. (1995). *Vibrio penaeicida* sp. nov., a pathogen of kuruma prawns (*Penaeus japonicus*). *International Journal of Systematic Bacteriology* 45, 134-138.

Costa R., Mermoud I., Koblavi S., Morlet B., Haffner P., Berthe F., Legroumellec M. and Grimont P. (1998). Isolation and characterization of bacteria associated with *Penaeus stylostris* disease (syndrome 93) in New Caledonia. *Aquaculture*, 164, 297-309.

Saulnier D., Avarre J.C., Le Moullac G., Ansquer D., Levy P. and Vonau V. (2000). Rapid and sensitive PCR detection of *Vibrio penaeicida*, the putative etiological agent of syndrome 93 in New Caledonia. *Diseases of Aquatic Organisms* 40, 109-115.

Kitao T., Aoki T., Fukudome M., Kawano K., Wada J. and Mizuno Y. (1983). Serotyping of *Vibrio anguillarum* isolated from diseased freshwater fish in Japan. *Journal of Fish Diseases* 6, 175-181.

Tajima K., Ezura Y. and Kimura T. (1985). Studies on the taxonomy and serology of causative organisms of fish vibriosis. *Fish Pathology* 20, 131-142. (In Japanese)

Grisez L. and Ollevier F. (1995). Comparative serology of the marine fish pathogen *Vibrio anguillarum*. *Applied and Environmental Microbiology* 61, 4367-4373.

Wiik R. and Egidius E. (1986). Generic relationships of *Vibrio salmonicida* sp. nov. to other fish pathogenic vibrios. *International Journal of Systematic Bacteriology* 36, 521-523.

Naka H., Dias G.M., Thompson C.C., Dubay C., Thompson F.L. and Crosa J.H. (2011). Complete genome sequence of the marine fish pathogen *Vibrio anguillarum* harboring the pJM1 virulence plasmid and genomic comparison with other virulent strains of *V. anguillarum* and *V. ordalii*. *Infection and Immunity* 79, 2889-2900.

Stensvåg K., Jørgensen T.Ø., Hoffman J., Hjelmeland K. and Bøgwald J. (1993). Partial purification and characterization of extracellular metalloproteases with caseinolytic, aminopeptidolytic and collagenolytic activities from *Vibrio anguillarum*. *Journal of Fish Diseases* 16, 525-539.

Morita J., Suzuki S. and Kusuda R. (1996). Metalloprotease produced by *Listonella anguillarum* shows similar activity to plasma activated protein C in rainbow trout coagulation cascade. *Fish Pathology* 31, 9-17. (In Japanese)

Roberts R.J. (1975). Melanin containing cells of teleost fish and their relation to disease. In: *The pathology of Fishes*, pp.399-428, Ribelin W.F. and Mugaki G. (eds.), University of Wisconsin press, Madison, USA.

Actis L.A., Potter S.A. and Crosa J.H. (1985). Iron-regulated outer membrane protein OM2 of *Vibrio anguillarum* is encoded by virulence plasmid pJM1. *Journal of Bacteriology* 161, 736-742.

Crosa J.H. and Walsh C.T. (2002). Genetics and assembly line enzymology of siderophore biosynthesis in bacteria. *Microbiology and Molecular Biology Reviews* 66, 223-249.

López C.S. and Crosa J.H. (2007). Characterization of ferric-anguibactin transport in *Vibrio anguillarum*. *BioMetals* 20, 393-403.

Actis L.A., Tolmasky M.E. and Crosa J.H. (2011). Chapter 15, Vibriosis; In *Fish diseases and disorders* volume 3: viral, bacterial and fungal infections (2nd edition), pp.570-605, Stevenson R.M. and Woo P.T. (eds.), CAB International, Wallingford, UK.

Di Lorenzo M., Stork M., Tolmasky M.E., Actis L.A., Farrell D., Welch T.J., Crosa L.M., Wertheimer A.M., Chen Q., Salinas P., Waldbeser L. and Crosa J.H. (2003). Complete sequence of virulence plasmid pJM1 from the marine fish pathogen *Vibrio anguillarum* strain 775. *Journal of Bacteriology* 185, 5822-5830.

Chart H. (1983). Multiflagellate variants of *Vibrio anguillarum*. *Journal of general microbiology* 129, 2193-2197.

Milton D.L., O'Toole R., Horstedt P. and Wolf-Watz H. (1996). Flagellin A is essential for the virulence of

*Vibrio anguillarum*. *Journal of Bacteriology* 178, 1310-1319.

Norqvist A. and Wolf-Watz H. (1993). Characterization of a novel chromosomal virulence locus involved in expression of a major surface flagellar sheath antigen of the fish pathogen *Vibrio anguillarum*. *Infection and Immunity* 61, 2434-2444.

Milton D.L., Norqvist A. and Wolf-Watz H. (1995). Sequence of a novel virulence-mediating gene, virC, from *Vibrio anguillarum*. *Gene* 164, 95-100.

Mouriño S., Osorio C.R. and Lemos M.L. (2004). Characterization of heme uptake cluster genes in the fish pathogen *Vibrio anguillarum*. *Journal of Bacteriology* 186, 6159-6167.

Mouriño S., Osorio C.R., Lemos M.L. and Crosa J.H. (2006). Transcriptional organization and regulation of the *Vibrio anguillarum* heme uptake gene cluster. *Gene* 374, 68-76.

Muroga K. (1992). Vibriosis of cultured fishes in Japan. In: *Salmonid diseases*, pp.165-171, Kimura T. (ed.), Hokkaido University Press, Sapporo, Japan. (In Japanese)

Kusuda R. and Salati F. (1993). Major bacterial diseases affecting mari-culture in Japan. *Annual Review of Fish Diseases* 4, 69-85.

Egusa S., Takahashi Y., Itami T. and Momoyama K. (1988). Histopathology of vivriosis in the kuruma prawn, *Penaeus japonicus* BATE. *Fish Pathology* 23, 59-65. (In Japanese)

Pedersen K. and Larsen J.L. (1993). rRNA gene restriction patterns of *Vibrio anguillarum* serogroup O1. *Diseases of Aquatic Organisms* 16, 121-126.

Pedersen K., Ceschia G. and Larsen J.L. (1994). Ribotypes of *Vibrio anguillarum* O1 from Italy and Greece. *Current Microbiology* 28, 97-99.

Skov M.N., Pedersen K. and Larsen J.L. (1995). Comparison of Pulsed-Field Gel Electrophoresis, Ribotyping, and Plasmid Profiling for Typing of *Vibrio anguillarum* Serovar O1. *Applied and Environmental Microbiology* 61, 1540-1545.

Aoki T., Hirono I., Castro T.D. and Kitao T. (1989). Rapid identification of *Vibrio anguillarum* by Colony hybridization. *Journal of Applied Ichthyology* 5, 67-73.

Hirono I., Masuda T. and Aoki T. (1996). Cloning and detection of the hemolysin gene of *Vibrio anguillarum*. *Microbial Pathogenesis* 21, 173-182.

Kim D.G., Bae J.Y., Hong G.E., Min M.K., Kim J.K. and Kong I.S. (2008). Application of the rpoS gene for the detection of *Vibrio anguillarum* in flounder and prawn by polymerase chain reaction. *Journal of Fish Diseases* 31, 639-647.

Xiao P., Mo Z.L., Mao Y.X., Wang C.L., Zou Y.X. and Li J. (2009). Detection of *Vibrio anguillarum* by PCR amplification of the empA gene. *Journal of Fish Diseases* 32, 293-296.

Crisafi F., Denaro R., Genovese M., Cappello S., Mancuso M. and Genovese L. (2011). Comparison of 16SrDNA and toxR genes as targets for detection of *Vibrio anguillarum* in *Dicentrarchus labrax* kidney and liver. *Research in Microbiology* 162, 223-230.

Hill W.E., Keasler S.P., Trucksess M.W., Feng P., Kaysner C.A. and Lampel K.A. (1991). Polymerase chain reaction identification of *Vibrio vulnificus* in artificially contaminated oysters. *Applied and Environmental Microbiology* 57, 707-711.

Coleman S.S., Melanson D.M., Biosca E.G. and Oliver J.D. (1996). Detection of *Vibrio vulnificus* biotypes 1 and 2 in eels and oysters by PCR amplification. *Applied and Environmental Microbiology* 62, 1378-1382.

Arias C.R., Garay E. and Aznar R. (1995). Nested PCR method for rapid and sensitive detection of *Vibrio vulnificus* in fish, sediments, and water. *Applied and Environmental Microbiology* 61, 3476-3478.

Notomi T., Okayama H., Masubuchi H., Yonekawa T., Watanabe K., Amino N. and Hase T. (2000). Loop-mediated isothermal amplification of DNA. *Nucleic Acids Research* 28, E63.

Hongwei G., Fuhuna L.I., Xiaojun Z., Bing W. and Jinhai X. (2010). Rapid, sensitive detection of *Vibrio anguillarum* using loop-mediated isothermal amplification. *Chinese Journal of Oceanology and Limnology* 28, 62-66.

- Cai S.H., Lu Y.S., Wu Z.H., Jian J.C., Wang B. and Huang Y.C. (2010). Loop-mediated isothermal amplification method for rapid detection of *Vibrio alginolyticus*, the causative agent of vibriosis in mariculture fish. *Letters in Applied Microbiology* 50, 480-485.
- Fall J., Chakraborty G., Kono T., Maeda M., Itami T. and Sakai M. (2008). Establishment of loop-mediated isothermal amplification method (LAMP) for the detection of *Vibrio nigripulchritudo* in shrimp. *FEMS Microbiology Letters* 288, 171-177.
- Ito H., Ito H., Uchida I., Sekizaki T. and Terakado N. (1995). A specific oligonucleotide probe based on 5S rRNA sequences for identification of *Vibrio anguillarum* and *Vibrio ordalii*. *Veterinary Microbiology* 43, 167-171.
- Iwamoto Y., Suzuki Y., Kurita A., Watanabe Y., Shimizu T., Ohgami H. and Yanagihara Y. (1995). Rapid and sensitive PCR detection of *Vibrio trachuri* pathogenic to Japanese horse mackerel (*Trachurus japonicus*). *Microbiology and Immunology* 39, 1003-1006.
- Ellis A.E. (1988). Current aspects of fish vaccination. *Diseases of Aquatic Organisms* 4, 159-164.
- Mughal M.S., Farley-Ewens E.K. and Manning M.J. (1986). Effects of direct immersion in antigen on immunological memory in young carp, *Cyprinus carpio*. *Veterinary Immunology and Immunopathology* 12, 181-192.
- Kawano K., Aoki T. and Kitao T. (1984). Duration of protection against vibriosis in ayu *Plecoglossus altivelis* vaccinated by immersion and oral administration with *Vibrio anguillarum*. *Bulletin of the Japanese Society of Scientific Fisheries* 50 771-774.
- Aoki T., Sakai M. and Takahashi S. (1984). Protective immunity in ayu, *Plecoglossus altivelis*, vaccinated by immersion with *Vibrio anguillarum*. *Fish Pathology* 19, 181-185.

#### Bibliography (Section 6. Tenacibaculosis)

- Alsina M. and Blanch A.R. (1993). First isolation of *Flexibacter maritimus* from cultivated turbot (*Scophthalmus maximus*). *Bulletin of the European Association of Fish Pathologists* 13, 157-160.
- Anderson J.I.W. and Conroy D.A. (1969). The pathogenic myxobacteria with special reference to fish disease. *Journal of Applied Bacteriology* 32, 30-39.
- Avendano-Herrera R., Rodriguez J., Magarinos B., Romalde J.L. and Toranzo A.E. (2004a). Intraspecific diversity of the marine fish pathogen *Tenacibaculum maritimum* as determined by randomly amplified polymorphic DNA-PCR. *Journal of Applied Bacteriology* 96, 871-877.
- Avendano-Herrera R., Magarinos B., Toranzo A.E., Beaz R. and Romalde J.L. (2004b). Species-specific polymerase chain reaction primer sets for the diagnosis of *Tenacibaculum maritimum* infection. *Diseases of Aquatic Organisms* 62, 75-83.
- Avendano-Herrera R., Magarinos B., Lopez-Romalde S., Romalde J.L. and Toranzo A.E. (2004c). Phenotypic characterization and description of two major O-serotypes in *Tenacibaculum maritimum* strains from marine fishes. *Diseases of Aquatic Organisms* 58, 1-8.
- Avendano-Herrera R., Magarinos B., Mornigo M.A., Romalde J.L. and Toranzo A.E. (2005). A novel O-serotype in *Tenacibaculum maritimum* strains isolated from cultured sole (*Solea senegalensis*). *Bulletin of the European Association of Fish Pathologists* 25, 70-74.
- Avendano-Herrera R., Toranzo A.E. and Magarinos B. (2006a). A challenge model for *Tenacibaculum maritimum* infection in turbot, *Scophthalmus maximus* (L.). *Journal of Fish Diseases* 29, 371-374.
- Avendano-Herrera R., Toranzo A.E. and Magarinos B. (2006b). Tenacibaculosis infection in marine fish caused by *Tenacibaculum maritimum*: a review. *Diseases of Aquatic Organisms* 71, 255-266.
- Avendano-Herrera R., Nunez S., Magarinos B., Irgang R. and Toranzo A.E. (2006c). Use of hydrogen peroxide against the fish pathogen *Tenacibaculum maritimum* and its effect on infected turbot (*Scophthalmus maximus*). *Aquaculture* 257, 104-110.
- Avendano-Herrera R., Nunez S., Barja J.L. and Toranzo A.E. (2008). Evolution of drug resistance and minimum inhibitory concentration to enrofloxacin in *Tenacibaculum maritimum* strains isolated in fish

farms. *Aquaculture International* 16, 1-11.

Bader J.A. and Shotts E.B. (1998). Identification of *Flavobacterium* and *Flexibacter* species by species-specific polymerase chain reaction primers to the 16S ribosomal RNA gene. *Journal of Aquatic Animal Health* 10, 311-319.

Bader J.A. and Shotts E.B. (1998). Determination of phylogenetic relationships of *Flavobacterium psychrophilum* (*Flexibacter psychrophilus*), *Flavobacterium columnare* (*Flexibacter columnaris*), and *Flexibacter maritimus* by sequence analysis of 16S ribosomal RNA genes amplified by polymerase chain reaction. *Journal of Aquatic Animal Health* 10, 320-327.

Baxa D.V., Kawai K. and Kusuda R. (1986). Characteristics of gliding bacteria isolated from diseased cultured flounder, *Paralichthys olivaceus*. *Fish Pathology* 21, 251-258.

Baxa D.V., Kawai K. and Kusuda R. (1987a). Molecular taxonomic classification of gliding bacteria isolated from diseased cultured founder. *Fish Pathology* 22, 11-14.

Baxa D.V., Kawai K. and Kusuda R. (1987b). Experimental infection of *Flexibacter maritimus* in black sea bream *Acanthopagrus schlegeli* fry. *Fish Pathology* 22, 105-109.

Baxa D.V., Kawai K. and Kusuda R. (1988). Detection of *Flexibacter maritimus* by fluorescent antibody technique in experimentally infected black sea bream fry. *Fish Pathology* 23, 29-32.

Bernardet J.-F. (1997). Immunization with bacterial antigens: *Flavobacterium* and *Flexibacter* infections. In: *Fish vaccinology*, pp.179-188, Gudding R., Lillehaug A., Midtlyng P.J. and Brown F. (eds.), Karger, Basel, Switzerland.

Bernardet J.-F. and Grimont P.A.D. (1989). Deoxyribonucleic acid relatedness and phenotypic characterization of *Flexibacter columnaris* sp. nov., nom. rev., *Flexibacter psychrophilus* sp. nov., nom. rev., and *Flexibacter maritimus* Wakabayashi, Hikida and Masumura 1989. *International Journal of Systematic Bacteriology* 39, 346-354.

Bernardet J.-F., Campbell A.C. and Buswell J.A. (1990). *Flexibacter maritimus* is the agent of 'black patch necrosis' in Dover sole in Scotland. *Diseases of Aquatic Organisms* 8, 233-237.

Bernardet J.-F., Kerouault B. and Michel C. (1994). Comparative study on *Flexibacter maritimus* strains isolated from farmed sea bass (*Dicentrarchus labrax*) in France. *Fish Pathology* 29, 105-111.

Bernardet J.-F., Segers P., Vancanneyt M., Berthe F., Kersters K. and Vandamme P. (1996). Cutting a Gordian knot: Emended classification and description of the genus *Flavobacterium*, emended description of the family *Flavobacteriaceae*, and proposal of *Flavobacterium hydatis* nom. nov. (Basonym, *Cytophaga aquatilis* Strohl and Tait 1978). *International Journal of Systematic Bacteriology* 46, 128-148.

Bernardet J.-F., Nakagawa Y. and Holmes B. (2002). Proposed minimal standards for describing new taxa of the family *Flavobacteriaceae* and emended description of the family. *International Journal of Systematic and Evolutionary Microbiology* 52, 1049-1070.

Borg A.F. (1960). Studies on myxobacteria associated with diseases of salmonid fishes. *Journal of Wildlife Diseases* 8, 1-85.

Campbell A.C. and Buswell J.A. (1982). An investigation into the bacterial aetiology of 'black patch necrosis' in Dover sole (*Solea solea* L.). *Journal of Fish Diseases* 5, 495-508.

Cepeda C. and Santos Y. (2002). First isolation of *Flexibacter maritimus* from farmed Senegalese sole (*Solea senegalensis*, Kaup) in Spain. *Bulletin of the European Association of Fish Pathologists* 22, 388-392.

Cepeda C., Garcia-Marquez S. and Santos Y. (2003). Detection of *Flexibacter maritimus* in fish tissue using nested PCR amplification. *Journal of Fish Diseases* 26, 65-70.

Chen M.F., Henry-Ford D. and Groff J.M. (1995). Isolation and characterization of *Flexibacter maritimus* from marine fishes of California. *Journal of Aquatic Animal Health* 7, 318-326.

Constenla M. and Padros F. (2010). Histopathological and ultrastructural studies on a novel pathological condition in *Solea senegalensis*. *Diseases of Aquatic Organisms* 90, 191-196.

Ferguson H.W., Delannoy C.M.J., Hay S., Nicolson J., Sutherland D. and Crumlish M. (2010). Jellyfish as

vectors of bacterial disease for farmed salmon (*Salmo salar*). *Journal of Veterinary Diagnostic Investigation* 22, 376-382.

Fringuelli E., Savage P.D., Gordon A., Baxter E.J., Rodger H.D. and Graham D.A. (2012). Development of a quantitative real-time PCR for the detection of *Tenacibaculum maritimum* and its application to field samples. *Journal of Fish Diseases* 35, 579-590.

van Gelderen R., Carson J. and Nowak B. (2009). Vaccination of Atlantic salmon (*Salmo salar* L.) against flexibacteriosis. *Aquaculture* 288, 7-13.

van Gelderen R., Carson J. and Nowak B. (2009). Effect of extracellular products of *Tenacibaculum maritimum* in Atlantic salmon (*Salmo salar* L.). *Journal of Fish Diseases* 32, 727-731.

van Gelderen R., Carson J. and Nowak B. (2011). Experimentally induced marine flexibacteriosis in Atlantic salmon smolts *Salmo salar*. I. Pathogenicity. *Diseases of Aquatic Organisms* 91, 121-128.

van Gelderen R., Carson J. and Nowak B. (2011). Experimentally induced marine flexibacteriosis in Atlantic salmon smolts *Salmo salar*. II. Pathology. *Diseases of Aquatic Organisms* 95, 121-135.

Gibson-Kueh S., Chee D., Chen J., Wang Y.H., Tay S., Leong L.N., Ng M.L., Jones J.B., Nicholls P.K. and Ferguson H.W. (2012). The pathology of 'scale drop syndrome' in Asian seabass, *Lates calcarifer* Bloch, a first description. *Journal of Fish Diseases* 35, 19-27.

Handlinger J., Soltani M. and Percival S. (1997). The pathology of *Flexibacter maritimus* in aquaculture species in Tasmania, Australia. *Journal of Fish Diseases* 20, 159-168.

Hansen G.H., Bergh O., Michaelsen J. and Knappskog D. (1992). *Flexibacter ovolyticus* sp. nov., a pathogen of eggs and larvae of Atlantic halibut, *Hippoglossus hippoglossus* L. *International Journal of Systematic Bacteriology* 42, 451-458.

Hikida M., Wakabayashi H., Egusa S. and Masumura K. (1979). *Flexibacter* sp., a gliding bacterium pathogenic to some marine fishes in Japan. *Bulletin of the Japanese Society for the Science of Fish* 45, 421-428.

Holmes B. (1992). Synonymy of *Flexibacter maritimus* Wakabayashi, Hikida, and Masumura 1986 and *Cytophaga marina* Reichenbach 1989. *International Journal of Systematic Bacteriology* 42, 185.

Jones M.A., Powell M.D., Becker J.A. and Carter C.G. (2007). Effect of an acute necrotic bacterial gill infection and feed deprivation on the metabolic rate of Atlantic salmon *Salmo salar*. *Diseases of Aquatic Organisms* 78, 29-36.

Kent M.L., Dungan C.F., Elston R.A. and Holt R.A. (1988). *Cytophaga* sp. (*Cytophagales*) infection in sea water pen-reared Atlantic salmon *Salmo salar*. *Diseases of Aquatic Organisms* 4, 173-179.

Lopez J.R., Nunez S., Magarinos B., Castro N., Navas J.I., de la Herran R. and Toranzo A.E. (2009). First isolation of *Tenacibaculum maritimum* from wedge sole, *Dicologoglossa cuneata* (Moreau). *Journal of Fish Diseases* 32, 603-610.

Lopez J.R., Pineiro-Vidal M., Garcia-Lamas N., de la Herran R., Navas J.I., Hachero-Cruzado I. and Santos Y. (2010). First isolation of *Tenacibaculum soleae* from diseased cultured wedge sole, *Dicologoglossa cuneata* (Moreau), and brill, *Scophthalmus rhombus* (L.). *Journal of Fish Diseases* 33, 273-278.

Magarinos B., Pazos F., Santos Y., Romalde J.L. and Toranzo A.E. (1995). Response of *Pasteurella piscicida* and *Flexibacter maritimus* to skin mucus of marine fish. *Diseases of Aquatic Organisms* 21, 103-108.

Masumura K. and Wakabayashi H. (1977). An outbreak of gliding bacterial disease in hatchery-born red seabream (*Pagrus major*) and gilthead (*Acanthopagrus schlegeli*) fry in Hiroshima. *Fish Pathology* 12, 171-177.

McVicar A.H. and White P.G. (1979). Fin and skin necrosis of cultivated Dover sole *Solea solea* (L.). *Journal of Fish Diseases* 2, 557-562.

McVicar A.H. and White P.G. (1981). The prevention and cure of an infectious disease in cultivated jubvenile Dover sole *Solea solea* (L.). *Aquaculture* 26, 213-222.

Mitcell S.O. and Rodger H.D. (2011). A review of infectious gill disease in marine salmonid fish. *Journal*

of Fish Diseases 34, 411-432.

Olsen A.B., Nilsen H., Sandlund N., Mikkelsen H., Sorum H. and Colquhoun D.J. (2011). *Tenacibaculum* sp. associated with winter ulcers in sea-reared Atlantic salmon *Salmo salar*. *Diseases of Aquatic Organisms* 94, 189-199.

Ostland V.E., LaTrace C., Morrison D. and Ferguson H.W. (1999). *Flexibacter maritimus* associated with a bacterial stomatitis in Atlantic salmon smolts reared in net-pens in British Columbia. *Journal of Aquatic Animal Health* 11, 35-44.

Pazos F., Santos Y., Nunez S. and Toranzo A.E. (1993). Increasing occurrence of *Flexibacter maritimus* in the marine aquaculture of Spain. *Fish Health Section-American Fisheries Society Newsletter* 21, 1-2.

Pazos F., Santos Y., Macias A.R., Nunez S. and Toranzo A.E. (1996). Evaluation of media for the successful culture of *Flexibacter maritimus*. *Journal of Fish Diseases* 19, 193-197.

Pineiro-Vidal M., Riza A. and Santos Y. (2008). *Tenacibaculum discolor* sp. nov. and *Tenacibaculum gallaicum* sp. nov., isolated from sole (*Solea senegalensis*) and turbot (*Psetta maxima*) culture systems. *International Journal of Systematic and Evolutionary Microbiology* 58, 21-25.

Pineiro-Vidal M., Carballas C.G., Gomez-Barreiro O., Riza A. and Santos Y. (2008). *Tenacibaculum soleae* sp. nov. isolated from diseased sole (*Solea senegalensis* Kaup). *International Journal of Systematic and Evolutionary Microbiology* 58, 881-885.

Powell M., Carson J. and van Gelderen R. (2004). Experimental induction of gill disease in Atlantic salmon *Salmo salar* smolts with *Tenacibaculum maritimum*. *Diseases of Aquatic Organisms* 61, 179-185.

Powell M., Harris J.O., Carson J. and Hill J.V. (2005). Effect of gill abrasion and experimental infection with *Tenacibaculum maritimum* on the respiratory physiology of Atlantic salmon *Salmo salar* affected by amoebic gill disease. *Diseases of Aquatic Organisms* 63, 169-174.

Sawyer E.S. (1976). An outbreak of myxobacterial disease in coho salmon (*Oncorhynchus kisutch*) reared in a marine estuary. *Journal of Wildlife Diseases* 12, 575-578.

Soltani M., Shanker S. and Munday B.L. (1995). Chemotherapy of *Cytophaga/Flexibacter*-like bacteria (CFLB) infections in fish: studies validating clinical efficacies of selected antimicrobials. *Journal of Fish Diseases* 18, 555-565.

Suzuki M., Nakagawa Y., Harayama S. and Yamamoto S. (2001). Phylogenetic analysis and taxonomic study of marine *Cytophaga*-like bacteria: proposal for *Tenacibaculum* gen. nov. with *Tenacibaculum maritimum* comb. nov. and *Tenacibaculum ovolyticum* comb. nov., and description of *Tenacibaculum mesophilum* sp. nov. and *Tenacibaculum amylolyticum* sp. nov. *International Journal of Systematic and Evolutionary Microbiology* 51, 1639-1652.

Toranzo A.E., Magarinos B. and Romalde J. (2005). A review of the main bacterial fish diseases in mariculture system. *Aquaculture* 246, 37-65.

Toyama T., Kita-Tsukamoto K. and Wakabayashi H. (1996). Identification of *Flexibacter maritimus*, *Flavobacterium branchiophilum* and *Cytophaga columnaris* by PCR targeted 16S ribosomal DNA. *Fish Pathology* 31, 25-31.

Vilar P., Failde L.D., Bermudez R., Vigliano F., Riaza A., Silva R., Santos Y. and Quirog M.I. (2012). Morphopathological features of a severe ulcerative disease outbreak associated with *Tenacibaculum maritimum* in cultivated sole, *Solea senegalensis* (L.). *Journal of Fish Diseases* 35, 437-445.

Vinogradov E., MacLean L.L., Crump E.M., Perry M.B. and Key W.W. (2003). Structure of the polysaccharide from *Flexibacter maritimus*. *European Journal of Biochemistry* 270, 1810-1815.

Wakabayashi H., Hikida M. and Masumura K. (1984). *Flexibacter* infections in cultured marine fish in Japan. *Helgolander Meeresunter- suchungen* 37, 587-593.

Wakabayashi H., Hikida M. and Masumura K. (1986). *Flexibacter maritimus* sp. nov., a pathogen of marine fishes. *International Journal of Systematic Bacteriology* 39, 213-216.

Warsen A.E., Krug M.J., laFrentz S., Stanek D.R., Loge F.J. and Call R. (2004). Simultaneous discrimination between 15 fish pathogens by using 16S ribosomal DNA PCR and DNA microarray. *Applied and Environmental Microbiology* 70, 4216-4221.

Wilson T. and Carson J. (2003). Development of sensitive, high-throughput on-tube RT-PCR-enzyme hybridization assay to detect selected bacterial fish pathogens. *Diseases of Aquatic Organisms* 54, 127-134.

Wood J.W. (1974). *Diseases of Pacific salmon: Their prevention and treatment* (2nd edition). State of Washington, Department of Fisheries, Hatchery Division, 82 pp.

### Bibliography (Section 7. Edwardsiellosis (*Edwardsiella tarda*))

Evans J.J., Klesius P.H., Plumb J.A. and Shoemaker C.A. (2011). *Edwardsiella septicaemias*. In: *Fish Diseases and Disorders*, volume 3, pp. 512–569, Woo P.T.K., and Bruno D.W. (eds.), CABI, Wallingford, UK.

Sakazaki R. (1967). Studies on the Asakusa group of Enterobacteriaceae (*Edwardsiella tarda*). *Japanese Journal of Medical Science and Biology* 20, 205–212.

King B.M. and Adler D.L. (1964). A previously undescribed group of Enterobacteriaceae. *American Journal of Clinical Pathology* 41, 230–232.

Ewing W.H., McWhorter A.C., Escobar M.R. and Lubin A.H. (1965). *Edwardsiella*, a new genus of Enterobacteriaceae based on a new species, *E. tarda*. *International Bulletin of Bacteriological Nomenclature and Taxonomy* 15, 33–38.

Hoshina T. (1962). On a new bacterium, *Paracolobactrum anguillimortiferum* sp. *Bulletin of the Japanese Society of Scientific Fisheries* 28, 162–164.

Wakabayashi H. and Egusa S. (1973). *Edwardsiella tarda* (*Paracolobactrum anguillimortiferum*) associated with pond-cultured eel disease. *Bulletin of the Japanese Society of Scientific Fisheries* 39, 931–936.

Matsuyama T., Kamaishi T., Ooseko N., Kurohara K. and Iida T. (2005). Pathogenicity of motile and non-motile *Edwardsiella tarda* to some marine fish. *Fish Pathology* 40, 133–135.

Ishihara S. and Kusuda R. (1982). Growth and survival of *Edwardsiella tarda* bacteria in environmental water. *Bulletin of the Japanese Society of Scientific Fisheries* 48, 483–488.

Abbott S.L. and Janda J.M. (2006). The genus *Edwardsiella*. In: *The Prokaryotes, A handbook on the Biology of Bacteria*, 3rd edn., vol. 6., pp. 72–89, Dworkin M., Falkow S., Rosenberg E., Schleifer K.H. and Stackebrandt E. (eds.), Springer, New York, NY, USA.

Wang Q., Yang M., Xiao J., Wu H., Wang X., Lv Y., Xu L., Zheng H., Wang S., Zhao G., Liu Q. and Zhang Y. (2009). Genome sequence of the versatile fish pathogen *Edwardsiella tarda* provides insights into its adaptation to broad host ranges and intracellular niches. *PLoS One* 4, E7646.

Tamura K., Sakazaki R., McWhorter A.C. and Kosako Y. (1988). *Edwardsiella tarda* serotyping scheme for international use. *Journal of Clinical Microbiology* 26, 2343–2346.

Park S., Wakabayashi H. and Watanabe Y. (1983). Serotype and virulence of *Edwardsiella tarda* isolated from eel and their environment. *Fish Pathology* 18, 85–89.

Rashid M.M., Mekuchi T., Nakai T. and Muroga K. (1994). A serological study on *Edwardsiella tarda* strains isolated from diseased Japanese flounder (*Paralichthys olivaceus*). *Fish Pathology* 29, 277.

Sakai T., Yuasa K., Sano M. and Iida T. (2009). Identification of *Edwardsiella ictaluri* and *E. tarda* by species-specific polymerase chain reaction targeted to the upstream region of the fimbrial gene. *Journal of Aquatic Animal Health* 21, 124–132.

Tan Y.P., Lin Q., Wang X.H., Joshi S., Hew C.L. and Leung K.Y. (2002). Comparative proteomic analysis of extracellular proteins of *Edwardsiella tarda*. *Infection and Immunity* 70, 6475–6480.

Tan Y.P., Zheng J., Tung S.L., Rosenshine I. and Leung K.Y. (2005). Role of type III secretion in *Edwardsiella tarda* virulence. *Microbiology* 151, 2301–2313.

Srinivasa Rao P.S., Lim T.M. and Leung K.Y. (2001). Opsonized virulent *Edwardsiella tarda* strains are able to adhere to and survive and replicate within fish phagocytes but fail to stimulate reactive oxygen intermediates. *Infection and Immunity* 69, 5689–5697.

Ishibe K., Osatomi K., Hara K., Kanai K., Yamaguchi K. and Oda T. (2008). Comparison of the responses

- of peritoneal macrophages from Japanese flounder (*Paralichthys olivaceus*) *Edwardsiella tarda*. *Fish and Shellfish Immunology* 24, 243–251.
- Yamada Y. and Wakabayashi H. (1999). Identification of fish-pathogenic strains belonging to the genus *Edwardsiella* by sequence analysis of sodB. *Fish Pathology* 34, 145–150.
- Mathew J.A., Tan Y.P., Srinivasa Rao P.S., Lim T.M. and Leung K.Y. (2001). *Edwardsiella tarda* mutants defective in siderophore production, motility, serum resistance and catalase activity. *Microbiology* 147, 449–457.
- Srinivasa Rao P.S., Yamada Y. and Leung K.Y. (2003). A major catalase (KatB) that is required for resistance to H<sub>2</sub>O<sub>2</sub> and phagocyte-mediated killing in *Edwardsiella tarda*. *Microbiology* 149, 2635–2644.
- Srinivasa Rao P.S. and Leung K.Y. (2003). Functional genomics approach to the identification of virulence genes involved in *Edwardsiella tarda* pathogenesis. *Infection and Immunity* 71, 1343–1351.
- Han H.J., Kim D.H., Lee D.C., Kim S.M. and Park S.I. (2006). Pathogenicity of *Edwardsiella tarda* to olive flounder, *Paralichthys olivaceus* (Temminck & Schlegel). *Journal of Fish Diseases* 29, 601–609.
- Okuda J., Kiriyama M., Suzuki E., Kataoka K., Nishibuchi M. and Nakai T. (2009). Characterization of proteins secreted from a type III secretion system of *Edwardsiella tarda* and their roles in macrophage infection. *Diseases of Aquatic Organisms* 84, 115–121.
- Chen J.D., Lai S.Y. and Haung S.L. (1996). Molecular cloning, characterization, and sequencing of the hemolysin gene from *Edwardsiella tarda*. *Archives of Microbiology* 165, 9–17.
- Hirono I., Tange N. and Aoki T. (1997). Iron-regulated haemolysin gene from *Edwardsiella tarda*. *Molecular Microbiology* 24, 851–856.
- Meyer F.P. and Bullock G.L. (1973). *Edwardsiella tarda*, a new pathogen of channel catfish (*Ictalurus punctatus*). *Applied Microbiology* 25, 155–156.
- Austin B. & Austin D.A. (2007). *Bacterial fish pathogens: Disease of farmed and wild fish*. 4th edn. Springer, Chichester, UK.
- Miyazaki T. and Kaige N. (1985). Comparative histopathology of edwardsiellosis in fishes. *Fish Pathology* 20, 219–227.
- Kusuda R., Itami T., Munekiyo M. and Nakajima H. (1977). Characteristics of an *Edwardsiella* sp. from an epizootic of cultured crimson sea breams. *Bulletin of the Japanese Society of Scientific Fisheries* 43, 129–134.
- Yasunaga N., Ogawa S. and Hatai K. (1982). Characteristic of the fish pathogen *Edwardsiella* sp. Isolated from several species of cultured marine fishes. *Bulletin of the Nagasaki Prefectural Institute of Fisheries* 8, 67–73.
- Egusa S. (1976). Some bacterial diseases of freshwater fishes in Japan. *Fish Pathology* 10, 103–114.
- Darwish A., Plumb J.A. and Newton J.C. (2000). Histopathology and pathogenesis of experimental infection with *Edwardsiella tarda* in channel catfish. *Journal of Aquatic Animal Health* 12, 255–266.
- Padrós F., Zarza C., Dopazo L., Cuadrado M. and Crespo S. (2006). Pathology of *Edwardsiella tarda* infection in turbot, *Scophthalmus maximus* (L.). *Journal of Fish Diseases* 29, 87–94.
- Savan R., Igarashi A., Matsuoka S. and Sakai M. (2004). Sensitive and rapid detection of edwardsiellosis in fish by a loop-mediated isothermal amplification method. *Applied and Environmental Microbiology* 70, 621–624.
- Amandi A., Hiu S.F., Rohovec J.S. and Fryer J.L. (1982). Isolation and characterization of *Edwardsiella tarda* from fall chinook salmon (*Oncorhynchus tshawytscha*). *Applied and Environmental Microbiology* 43, 1380–1384.
- Schnick R.A., Meyer F.P. and Gray D.L. (1989). *A guide to approved chemicals in fish production and fishery resources management*. U.S. Fish and Wildlife Service MP 241, pp. 27, University of Arkansas Extension Service, Little Rock, AR, USA.
- Kwon S.R., Nam Y.K., Kim S.K. and Kim K.H. (2006). Protection of tilapia (*Oreochromis mosambicus*)

from edwardsiellosis by vaccination with *Edwardsiella tarda* ghosts. *Fish and Shellfish Immunology* 20, 621–626.

Kawai K., Liu Y., Ohnishi K. and Oshima S. (2004). A conserved 37 kDa outer membrane protein of *Edwardsiella tarda* is an effective vaccine candidate. *Vaccine* 22, 3411–3418.

Lan M.Z., Peng X., Xiang M.Y., Xia Z.Y., Bo W., Jie L., Li X.Y., Jun Z.P. (2007). Construction and characterization of a live, attenuated *esrB* mutant of *Edwardsiella tarda* and its potential as a vaccine against the haemorrhagic septicaemia in turbot, *Scophthalmus maximus* (L.). *Fish and Shellfish Immunology* 23, 521–530.

Takano T., Matsuyama T., Oseko N., Sakai T., Kamaishi T., Nakayasu C., Sano M. and Iida T. (2010). The efficacy of five avirulent *Edwardsiella tarda* strains in a live vaccine against Edwardsiellosis in Japanese flounder, *Paralichthys olivaceus*. *Fish and Shellfish Immunology* 29, 687–693.

Yang M., Lv Y., Xiao J., Wu H., Zheng H., Liu Q., Zhang Y. and Wang Q. (2012). *Edwardsiella* comparative phylogenomics reveal the new intra/inter-species taxonomic relationships, virulence evolution and niche adaptation mechanisms. *PLoS One* 7, E36987.

Zheng J. and Leung K.Y. (2007). Dissection of a type VI secretion system in *Edwardsiella tarda*. *Molecular Microbiology* 66, 1192–1206.

Wang X., Wang Q., Xiao J., Liu Q., Wu H., Xu L. and Zhang Y. (2009). *Edwardsiella tarda* T6SS component *evpP* is regulated by *esrB* and iron, and plays essential roles in the invasion of fish. *Fish and Shellfish Immunology* 27, 469–477.

Rogge M.L. and Thune R.L. (2011). Regulation of the *Edwardsiella ictaluri* type III secretion system by pH and phosphate concentration through *EsrA*, *EsrB*, and *EsrC*. *Applied and Environmental Microbiology* 77, 4293–4302.

### Bibliography (Section 8. Bacterial Hemolytic Jaundice)

Sorimachi, M., Y. Maeno, K. Nakajima, K. Inouye and Y. Inui (1993). Causative agent of jaundice of yellowtail, *Seriola quinqueradiata*. *Gyobyo Kenkyu* 28, 119-124. (in Japanese with English abstract)

Sorimachi, M. and Y. Maeno (1993). Drug sensitivity of the causative bacterium of yellowtail jaundice. *Gyobyo Kenkyu* 28, 141-142. (in Japanese)

Iida, T. and M. Sorimachi (1994). Cultural characteristics of the bacterium causing jaundice of yellowtail, *Seriola quinqueradiata*. *Fish Pathology* 29, 25-28.

Maeno, Y., K. Nakajima, M. Sorimachi and Y. Inui (1995). Pathophysiological studies of jaundiced yellowtail, *Seriola quinqueradiata*. *Fish Pathology* 30, 7-14. (in Japanese with English abstract)

Mitsui, S., T. Iida, T. Yoshida, I. Hiroto and T. Aoki (2004). PCR-based detection of the causative agent of bacterial hemolytic jaundice in yellowtail. *Fish Pathology* 39, 43-45. (in Japanese with English abstract)

### Biographical Sketches

**Dr. Terutoyo Yoshida** is currently a professor for the University of Miyazaki, Miyazaki, Japan. He obtained Ph.D. degrees from Kagoshima University in 1991, and worked with fish bacterial diseases. He can be reached through t-yosh@cc.miyazaki-u.ac.jp

**Dr. Issei Nishiki** is currently a research assistant for the National Research Institute of *Fisheries Science*, Fisheries Reaserch Agency, Kanagawa, Japan. He obtained Ph.D. degrees from Miyazaki University in 2014. His main research is the fish pathogenic group C *Streptococcus dysgalactiae*.

**Dr. Masahiro Sakai** is currently a professor for the faculty of Agriculture, University of Miyazaki. He obtained PhD degrees from The University of Tokyo. Dr. Sakai has worked with fish immunostimulants and fish cytokines for many years.

**Dr. Kim Thompson** is a Senior Research Fellow at the Institute of Aquaculture, University of Stirling, UK, with over 20 years experience in fish immunology and diagnostics.

**Prof. Alexandra Adams** is Professor of Aquatic Immunology and Diagnostics at the Institute of Aquaculture, University of Stirling, UK and is internationally known for her work on immunodiagnosis and fish health. They have both been involved in mycobacteriosis research for over 20 years.

**Dr. Tae-Sung Jung** is a professor and charge of Lab. of Aquatic Animal Diseases, College of Veterinary Medicine Gyeongsang National University, South Korea. He completed his Ph. D degrees from Institute of Aquaculture, University of Stirling, UK in 1999. Dr Jung has worked in fish diseases and immunology for many years.

**Dr. Takashi Aoki** is currently a visiting professor for the Consolidated Research Institute for Advanced Science and Medical Care, Waseda University. He obtained Ph.D. degrees from The University of Tokyo in 1973. Dr. Aoki has worked with fish disease, chemotherapy and immunology for many years.

**Dr. Yukinori Takahashi** is currently a professor for the Department of Applied Aquabiology, National Fisheries University in Shimonoseki, Japan. He obtained Ph.D. degrees from The University of Kyoto. Dr. Takahashi has worked with *fish pathology* and vaccine for many years.

**Dr. Jun-ichi Hikima** is currently an associate professor for the Department of Biochemistry and Applied Biosciences, Faculty of Agriculture, University of Miyazaki in Miyazaki, Japan. He obtained Ph.D. degrees from Tokyo University of Marine Science and Technology (Former name is Tokyo University of Fisheries) in 2000. Dr. Hikima's major research is infectious disease and immunity in fish.

**Dr. Hisatsugu Wakabayashi** is currently an Emeritus Professor of the University of Tokyo. He obtained Ph. D. degree from the University of Tokyo in 1975. Dr. Wakabayashi has worked with fish diseases, mainly focused on bacterial diseases for many years.

**Dr. Tomokazu Takano** is currently a researcher for Aquatic Animal Health Division, National Research Institute of Aquaculture, Fisheries Research Agency in Japan. He obtained Ph.D. degrees from Tokyo University of Fisheries in 2006. Dr. Takano has worked with fish immunology and vaccines against economically important pathogens in aquaculture for many years.

**Dr. Takaji Iida** is currently Director-General, Japan Sea National Fisheries Research Institute, Dr. Iida has worked with fish bacterial diseases and fish immunology for many years.